



National
Library
of Medicine

| | | | | | | | | |
|---|--------|------------|--|--------|-----------|--|----------|------|
| Entrez | PubMed | Nucleotide | Protein | Genome | Structure | PMC | Journals | Book |
| Search <input type="text" value="PubMed"/> <input type="checkbox"/> for <input type="text" value="EphA OR EphB OR EphinB OR EphinA OR Sek1"/> | | | <input type="button" value="Go"/> <input type="button" value="Clear"/> | | | | | |
| <input type="button" value="Limits"/> <input type="button" value="Preview/Index"/> <input type="button" value="History"/> | | | <input type="button" value="Clipboard"/> | | | <input type="button" value="Details"/> | | |

[About Entrez](#)

[Text Version](#)

[Entrez PubMed](#)

[Overview](#)

[Help | FAQ](#)

[Tutorial](#)

[New/Noteworthy](#)

[E-Utilities](#)

[PubMed Services](#)

[Journals Database](#)

[MeSH Database](#)

[Single Citation Matcher](#)

[Batch Citation Matcher](#)

[Clinical Queries](#)

[LinkOut](#)

[Cubby](#)

[Related Resources](#)

[Order Documents](#)

[NLM Gateway](#)

[TOXNET](#)

[Consumer Health](#)

[Clinical Alerts](#)

[ClinicalTrials.gov](#)

[PubMed Central](#)

[Privacy Policy](#)

One of your terms is not found in the database.

[See Details](#).

[Display](#)

[Summary](#)

Show:

500

[Sort](#)

[Send to](#)

[Text](#)

[One page](#)

- Items 1-306 of 306
- 1: [Yoshizumi M, Fujita Y, Izawa Y, Suzaki Y, Kyaw M, Ali N, Tsuchiya K, Kagami S, Yano S, Sone S, Tamaki T.](#) [Related Articles](#), [Links](#)
 - 2: [Ebselen inhibits tumor necrosis factor-alpha-induced c-Jun N-terminal kinase activation and adhesion molecule expression in endothelial cells.](#) *Exp Cell Res.* 2004 Jan 1;292(1):1-10.
PMID: 14720501 [PubMed - in process]
 - 3: [Davison K, Mann KK, Waxman S, Miller WH.](#) [Related Articles](#), [Links](#)
 - 4: [JNK activation is a mediator of arsenic trioxide-induced apoptosis in acute promyelocytic leukemia cells.](#) *Blood.* 2003 Dec 30 [Epub ahead of print]
PMID: 14701702 [PubMed - as supplied by publisher]
 - 5: [Grunwald IC, Korte M, Adelmann G, Plueck A, Kullander K, Adams RH, Frotscher M, Bonhoeffer T, Klein R.](#) [Related Articles](#), [Links](#)
 - 6: [Hippocampal plasticity requires postsynaptic ephrinBs.](#) *Nat Neurosci.* 2004 Jan;7(1):33-40. Epub 2003 Dec 14.
PMID: 14699416 [PubMed - in process]
 - 7: [Xu B, Li S, Brown A, Gerlai R, Fahnestock M, Racine RJ.](#) [Related Articles](#), [Links](#)
 - 8: [EphA/ephrin-A interactions regulate epileptogenesis and activity-dependent axonal sprouting in adult rats.](#) *Mol Cell Neurosci.* 2003 Dec;24(4):984-99.
PMID: 14697663 [PubMed - in process]
 - 9: [Sun W, Yu Y, Fu Y, Chiang H, Xie H, Lu D.](#) [Related Articles](#), [Links](#)
 - 10: [\[Effects of power-frequency magnetic fields exposure on phosphorylation and enzymatic activity of stress-activated protein kinase and its upstream kinase\]](#) *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi.* 2002 Aug;20(4):256-9. Chinese.
PMID: 14694647 [PubMed - in process]
 - 11: [Finne EF, Munthe E, Aasheim HC.](#) [Related Articles](#), [Links](#)
 - 12: [A new ephrin-A1 isoform \(ephrin-A1 isoform b\) with altered receptor binding properties abrogates the cleavage of ephrin-A1 isoform a.](#) *Biochem J.* 2003 Dec 23 [Epub ahead of print]
PMID: 14692877 [PubMed - as supplied by publisher]
 - 13: [Henkemeyer M, Itkis OS, Ngo M, Hickmott PW, Ethell IM.](#) [Related Articles](#), [Links](#)
 - 14: [Multiple EphB receptor tyrosine kinases shape dendritic spines in the hippocampus.](#) *J Cell Biol.* 2003 Dec 22;163(6):1313-26.
PMID: 14691139 [PubMed - in process]

- 8: Hofmann TG, Stollberg N, Schmitz ML, Will H. [Related Articles](#), [Links](#)
HIPK2 regulates transforming growth factor-beta-induced c-Jun NH(2)-terminal kinase activation and apoptosis in human hepatoma cells.
Cancer Res. 2003 Dec 1;63(23):8271-7.
 PMID: 14678985 [PubMed - in process]
- 9: Sturz A, Bader B, Thierauch KH, Glienke J. [Related Articles](#), [Links](#)
EphB4 signaling is capable of mediating ephrinB2-induced inhibition of cell migration.
Biochem Biophys Res Commun. 2004 Jan 2;313(1):80-8.
 PMID: 14672701 [PubMed - in process]
- 10: Cheng N, Brantley D, Fang WB, Liu H, Fanslow W, Cerretti DP, Bussell KN, Reith A, Jackson D, Chen J. [Related Articles](#), [Links](#)
Inhibition of VEGF-dependent multistage carcinogenesis by soluble EphA receptors.
Neoplasia. 2003 Sep-Oct;5(5):445-56.
 PMID: 14670182 [PubMed - in process]
- 11: Machino T, Hashimoto S, Maruoka S, Gon Y, Hayashi S, Mizumura K, Nishitoh H, Ichijo H, Horie T. [Related Articles](#), [Links](#)
Apoptosis signal-regulating kinase 1-mediated signaling pathway regulates hydrogen peroxide-induced apoptosis in human pulmonary vascular endothelial cells.
Crit Care Med. 2003 Dec;31(12):2776-81.
 PMID: 14668614 [PubMed - indexed for MEDLINE]
- 12: Cheng Q, Sasaki Y, Shoji M, Sugiyama Y, Tanaka H, Nakayama T, Mizuki N, Nakamura F, Takei K, Goshima Y. [Related Articles](#), [Links](#)
Cdk5/p35 and Rho-kinase mediate ephrin-A5-induced signaling in retinal ganglion cells.
Mol Cell Neurosci. 2003 Nov;24(3):632-45.
 PMID: 14664814 [PubMed - in process]
- 13: Hu Z, Yue X, Shi G, Yue Y, Crockett DP, Blair-Flynn J, Reuhl K, Tessarollo L, Zhou R. [Related Articles](#), [Links](#)
Corpus callosum deficiency in transgenic mice expressing a truncated ephrin-A receptor.
J Neurosci. 2003 Nov 26;23(34):10963-70.
 PMID: 14645492 [PubMed - indexed for MEDLINE]
- 14: Tfelt-Hansen J, Chattopadhyay N, Yano S, Kanuparthi D, Rooney P, Schwarz P, Brown EM. [Links](#)
Calcium-Sensing Receptor Induces Proliferation through p38 MAPK and PI3 kinase but not ERK in a Model of Humoral Hypercalcemia of Malignancy (HHM).
Endocrinology. 2003 Nov 26 [Epub ahead of print]
 PMID: 14645111 [PubMed - as supplied by publisher]
- 15: Bach H, Feldheim DA, Flanagan JG, Scalia F. [Related Articles](#), [Links](#)
Persistence of graded EphA/Ephrin-A expression in the adult frog visual system.
J Comp Neurol. 2003 Dec 22;467(4):549-65.
 PMID: 14624488 [PubMed - indexed for MEDLINE]
- 16: Mann F, Miranda E, Weinl C, Harmer E, Holt CE. [Related Articles](#), [Links](#)
B-type Eph receptors and ephrins induce growth cone collapse through distinct intracellular pathways.
J Neurobiol. 2003 Dec;57(3):323-36.

PMID: 14608666 [PubMed - indexed for MEDLINE]

- 17: [Vaidya A, Pniak A, Lemke G, Brown A.](#) [Related Articles](#), [Links](#)
- EphA3 null mutants do not demonstrate motor axon guidance defects.
Mol Cell Biol. 2003 Nov;23(22):8092-8.
PMID: 14585969 [PubMed - indexed for MEDLINE]
- 18: [Nishitai G, Shimizu N, Negishi T, Kishimoto H, Nakagawa K, Kitagawa D, Watanabe T, Momose H, Ohata S, Tanemura S, Asaka S, Kubota J, Saito R, Yoshida H, Mak TW, Wada T, Penninger JM, Azuma N, Nishina H, Katada T.](#) [Related Articles](#), [Links](#)
- Stress induces mitochondria-mediated apoptosis independent of SAPK/JNK activation in embryonic stem cells.
J Biol Chem. 2004 Jan 16;279(3):1621-6. Epub 2003 Oct 29.
PMID: 14585831 [PubMed - in process]
- 19: [Halford MM, Chumley MJ, Henkemeyer M.](#) [Related Articles](#), [Links](#)
- Ephective endocytosis.
Dev Cell. 2003 Oct;5(4):536-7.
PMID: 14536055 [PubMed - indexed for MEDLINE]
- 20: [Kuai XL, Cong XQ, Li XL, Xiao SD.](#) [Related Articles](#), [Links](#)
- Generation of hepatocytes from cultured mouse embryonic stem cells.
Liver Transpl. 2003 Oct;9(10):1094-9.
PMID: 14526405 [PubMed - in process]
- 21: [Miao H, Nickel CH, Cantley LG, Bruggeman LA, Bennardo LN, Wang B.](#) [Related Articles](#), [Links](#)
- EphA kinase activation regulates HGF-induced epithelial branching morphogenesis.
J Cell Biol. 2003 Sep 29;162(7):1281-92.
PMID: 14517207 [PubMed - indexed for MEDLINE]
- 22: [Ham YM, Choi JS, Chun KH, Joo SH, Lee SK.](#) [Related Articles](#), [Links](#)
- The c-Jun N-terminal kinase 1 activity is differentially regulated by specific mechanisms during apoptosis.
J Biol Chem. 2003 Dec 12;278(50):50330-7. Epub 2003 Sep 26.
PMID: 14514687 [PubMed - indexed for MEDLINE]
- 23: [Vidovic M, Marotte LR.](#) [Related Articles](#), [Links](#)
- Analysis of EphB receptors and their ligands in the developing retinocollicular system of the wallaby reveals dynamic patterns of expression in the retina.
Eur J Neurosci. 2003 Sep;18(6):1549-58.
PMID: 14511334 [PubMed - indexed for MEDLINE]
- 24: [Mackawa H, Oike Y, Kanda S, Ito Y, Yamada Y, Kurihara H, Nagai R, Suda T.](#) [Related Articles](#), [Links](#)
- Ephrin-B2 induces migration of endothelial cells through the phosphatidylinositol-3 kinase pathway and promotes angiogenesis in adult vasculature.
Arterioscler Thromb Vasc Biol. 2003 Nov 1;23(11):2008-14. Epub 2003 Sep 18.
PMID: 14500293 [PubMed - in process]
- 25: [Zimmer M, Palmer A, Kohler J, Klein R.](#) [Related Articles](#), [Links](#)
- EphB-ephrinB bi-directional endocytosis terminates adhesion allowing contact mediated repulsion.
Nat Cell Biol. 2003 Oct;5(10):869-78. Epub 2003 Sep 14.
PMID: 12973358 [PubMed - indexed for MEDLINE]

26: [Song JJ, Lee YJ](#)

[Related Articles](#), [Links](#)

 Role of the ASK1-SEK1-JNK1-HIPK1 signal in Daxx trafficking and ASK1 oligomerization.

J Biol Chem. 2003 Nov 21;278(47):47245-52. Epub 2003 Sep 10.
PMID: 12968034 [PubMed - in process]

27: [Fanning PJ, Emkey G, Smith RJ, Grodzinsky AJ, Szasz N, Trippel SB](#)

[Related Articles](#), [Links](#)

 Mechanical regulation of mitogen-activated protein kinase signaling in articular cartilage.

J Biol Chem. 2003 Dec 19;278(51):50940-8. Epub 2003 Sep 02.
PMID: 12952976 [PubMed - indexed for MEDLINE]

28: [Bundesen LO, Scheel TA, Bregman BS, Kromer LF](#)

[Related Articles](#), [Links](#)

 Ephrin-B2 and EphB2 regulation of astrocyte-meningeal fibroblast interactions in response to spinal cord lesions in adult rats.

J Neurosci. 2003 Aug 27;23(21):7789-800.
PMID: 12944508 [PubMed - indexed for MEDLINE]

29: [Compagni A, Logan M, Klein R, Adams RH](#)

[Related Articles](#), [Links](#)

 Control of skeletal patterning by ephrinB1-EphB interactions.

Dev Cell. 2003 Aug;5(2):217-30.
PMID: 12919674 [PubMed - indexed for MEDLINE]

30: [de Saint-Vis B, Bouchet C, Gautier G, Valladeau J, Caux C, Garrone P](#)

[Related Articles](#), [Links](#)

 Human dendritic cells express neuronal Eph receptor tyrosine kinases: role of EphA2 in regulating adhesion to fibronectin.

Blood. 2003 Dec 15;102(13):4431-40. Epub 2003 Aug 07.
PMID: 12907451 [PubMed - indexed for MEDLINE]

31: [Augustin HG, Reiss Y](#)

[Related Articles](#), [Links](#)

 EphB receptors and ephrinB ligands: regulators of vascular assembly and homeostasis.

Cell Tissue Res. 2003 Oct;314(1):25-31. Epub 2003 Aug 02.
PMID: 12905065 [PubMed - in process]

32: [Maruoka S, Hashimoto S, Gon Y, Nishitoh H, Takeshita I, Asai Y, Mizumura K, Shimizu K, Ichijo H, Horie T](#)

[Related Articles](#), [Links](#)

 ASK1 regulates influenza virus infection-induced apoptotic cell death.

Biochem Biophys Res Commun. 2003 Aug 8;307(4):870-6.
PMID: 12878192 [PubMed - indexed for MEDLINE]

33: [Bardleben R, Kaina B, Fritz G](#)

[Related Articles](#), [Links](#)

 Ultraviolet light-induced apoptotic death is impaired by the HMG-CoA reductase inhibitor lovastatin.

Biochem Biophys Res Commun. 2003 Jul 25;307(2):401-7.
PMID: 12859971 [PubMed - indexed for MEDLINE]

34: [Song JJ, Lee YJ](#)

[Related Articles](#), [Links](#)

 Effect of glucose concentration on activation of the ASK1-SEK1-JNK1 signal transduction pathway.

J Cell Biochem. 2003 Jul 1;89(4):653-62.
PMID: 12858332 [PubMed - indexed for MEDLINE]

35: [Yu YM, Han PL, Lee JK](#)

[Related Articles](#), [Links](#)

 JNK pathway is required for retinoic acid-induced neurite outgrowth of human neuroblastoma, SH-SY5Y.

Neuroreport. 2003 May 23;14(7):941-5.
PMID: 12802179 [PubMed - indexed for MEDLINE]

- 36:** Sharfe N, Freywald A, Toro A, Roifman CM. Related Articles, Links
 Ephrin-A1 induces c-Cbl phosphorylation and EphA receptor down-regulation in T cells.
J Immunol. 2003 Jun 15;170(12):6024-32.
 PMID: 12794130 [PubMed - indexed for MEDLINE]
- 37:** Bezombes C, Laurent G, Jaffrezou JP. Related Articles, Links
 Implication of raft microdomains in drug induced apoptosis.
Curr Med Chem Anti-Canc Agents. 2003 Jul;3(4):263-70. Review.
 PMID: 12769772 [PubMed - indexed for MEDLINE]
- 38:** Kania A, Jessell TM. Related Articles, Links
 Topographic motor projections in the limb imposed by LIM homeodomain protein regulation of ephrin-A:EphA interactions.
Neuron. 2003 May 22;38(4):581-96.
 PMID: 12765610 [PubMed - indexed for MEDLINE]
- 39:** Jurewicz A, Matysiak M, Tybor K, Selmaj K. Related Articles, Links
 TNF-induced death of adult human oligodendrocytes is mediated by c-jun NH₂-terminal kinase-3.
Brain. 2003 Jun;126(Pt 6):1358-70.
 PMID: 12764057 [PubMed - indexed for MEDLINE]
- 40:** Ham YM, Chun KH, Choi JS, Kim DH, Lee SK. Related Articles, Links
 SEK1-dependent JNK1 activation prolongs cell survival during G-Rh2-induced apoptosis.
Biochem Biophys Res Commun. 2003 May 2;304(2):358-64.
 PMID: 12711323 [PubMed - indexed for MEDLINE]
- 41:** McLaughlin T, Hindges R, Yates PA, O'Leary DD. Related Articles, Links
 Bifunctional action of ephrin-B1 as a repellent and attractant to control bidirectional branch extension in dorsal-ventral retinotopic mapping.
Development. 2003 Jun;130(11):2407-18.
 PMID: 12702655 [PubMed - indexed for MEDLINE]
- 42:** Tfelf-Hansen J, MacLeod RJ, Chattopadhyay N, Yano S, Quino S, Ren X, Terwilliger EF, Schwarz P, Brown EM. Related Articles, Links
 Calcium-sensing receptor stimulates PTHrP release by pathways dependent on PKC, p38 MAPK, JNK, and ERK 1/2 in H-500 cells.
Am J Physiol Endocrinol Metab. 2003 Aug;285(2):E329-37. Epub 2003 Apr 15.
 PMID: 12700162 [PubMed - indexed for MEDLINE]
- 43:** Sathyanarayana P, Barthwal MK, Lane ME, Acevedo SF, Skoulakis EM, Bergmann A, Rana A. Related Articles, Links
 Drosophila mixed lineage kinase/slipper, a missing biochemical link in Drosophila JNK signaling.
Biochim Biophys Acta. 2003 Apr 7;1640(1):77-84.
 PMID: 12676357 [PubMed - indexed for MEDLINE]
- 44:** Koo J, Shim S, Gu C, Yoo O, Park S. Related Articles, Links
 Identification of an enhancer region in the mouse ephA8 locus directing expression to the anterior region of the dorsal mesencephalon.
Dev Dyn. 2003 Apr;226(4):596-603.
 PMID: 12666197 [PubMed - indexed for MEDLINE]
- 45:** Battaglia AA, Sehayek K, Grist J, McMahon SB, Gavazzi I. Related Articles, Links


- EphB receptors and ephrin-B ligands regulate spinal sensory connectivity and modulate pain processing.**
Nat Neurosci. 2003 Apr;6(4):339-40. No abstract available.
PMID: 12640461 [PubMed - indexed for MEDLINE]
- 46: Kishimoto H, Nakagawa K, Watanabe T, Kitagawa D, Momose H, Seo J, Nishitai G, Shimizu N, Ohata S, Tanemura S, Asaka S, Goto T, Fukushi H, Yoshida H, Suzuki A, Sasaki T, Wada T, Penninger JM, Nishina H, Katada T.** Related Articles, Links
Different properties of SEK1 and MKK7 in dual phosphorylation of stress-induced activated protein kinase SAPK/JNK in embryonic stem cells.
J Biol Chem. 2003 May 9;278(19):16595-601. Epub 2003 Mar 06.
PMID: 12624093 [PubMed - indexed for MEDLINE]
- 47: McLoughlin T, Hindges R, O'Leary DD.** Related Articles, Links
 Regulation of axial patterning of the retina and its topographic mapping in the brain.
Curr Opin Neurobiol. 2003 Feb;13(1):57-69. Review.
PMID: 12593983 [PubMed - indexed for MEDLINE]
- 48: Poitras L, Bisson N, Islam N, Moss T.** Related Articles, Links
 A tissue restricted role for the Xenopus Jun N-terminal kinase kinase kinase MLK2 in cement gland and pronephric tubule differentiation.
Dev Biol. 2003 Feb 15;254(2):200-14.
PMID: 12591241 [PubMed - indexed for MEDLINE]
- 49: Tanaka M, Kamo T, Ota S, Sugimura H.** Related Articles, Links
 Association of Dishevelled with Eph tyrosine kinase receptor and ephrin mediates cell repulsion.
EMBO J. 2003 Feb 17;22(4):847-58.
PMID: 12574121 [PubMed - indexed for MEDLINE]
- 50: Penzes P, Beeser A, Chemoff J, Schiller MR, Eipper BA, Mains RE, Huganir RL.** Related Articles, Links
 Rapid induction of dendritic spine morphogenesis by trans-synaptic ephrinB-EphB receptor activation of the Rho-GEF kalirin.
Neuron. 2003 Jan 23;37(2):263-74.
PMID: 12546821 [PubMed - indexed for MEDLINE]
- 51: Demyanenko GP, Maness PF.** Related Articles, Links
 The L1 cell adhesion molecule is essential for topographic mapping of retinal axons.
J Neurosci. 2003 Jan 15;23(2):530-8.
PMID: 12533613 [PubMed - indexed for MEDLINE]
- 52: Yun ME, Johnson RR, Antic A, Donoghue MJ.** Related Articles, Links
 EphA family gene expression in the developing mouse neocortex: regional patterns reveal intrinsic programs and extrinsic influence.
J Comp Neurol. 2003 Feb 10;456(3):203-16.
PMID: 12528186 [PubMed - indexed for MEDLINE]
- 53: Bae MA, Song BJ.** Related Articles, Links
 Critical role of c-Jun N-terminal protein kinase activation in troglitazone-induced apoptosis of human HepG2 hepatoma cells.
Mol Pharmacol. 2003 Feb;63(2):401-8.
PMID: 12527812 [PubMed - indexed for MEDLINE]
- 54: Zhang Q, Zhang G, Meng F, Tian H.** Related Articles, Links

- Biphasic activation of apoptosis signal-regulating kinase 1-stress-activated protein kinase 1-c-Jun N-terminal protein kinase pathway is selectively mediated by Ca²⁺-permeable alpha-amino-3-hydroxy-5-methyl-4-isoxazolepropionate receptors involving oxidative stress following brain ischemia in rat hippocampus.
Neurosci Lett. 2003 Jan 30;337(1):51-5.
PMID: 12524169 [PubMed - indexed for MEDLINE]
- 55:** Sharfe N, Freywald A, Toro A, Dadi H, Roifman C. Related Articles, Links
Ephrin stimulation modulates T cell chemotaxis.
Eur J Immunol. 2002 Dec;32(12):3745-55.
PMID: 12516569 [PubMed - indexed for MEDLINE]
- 56:** Cheng N, Brantley DM, Liu H, Lin Q, Enriquez M, Gale N, Yancopoulos G, Cerretti DP, Daniel TO, Chen J. Related Articles, Links
Blockade of EphA receptor tyrosine kinase activation inhibits vascular endothelial cell growth factor-induced angiogenesis.
Mol Cancer Res. 2002 Nov;1(1):2-11.
PMID: 12496364 [PubMed - indexed for MEDLINE]
- 57:** Nagashima K, Endo A, Ogita H, Kawana A, Yamagishi A, Kitabatake A, Matsuda M, Mochizuki N. Related Articles, Links
Adaptor protein Crk is required for ephrin-B1-induced membrane ruffling and focal complex assembly of human aortic endothelial cells.
Mol Biol Cell. 2002 Dec;13(12):4231-42.
PMID: 12475948 [PubMed - indexed for MEDLINE]
- 58:** McLennan R, Krull CE. Related Articles, Links
Ephrin-as cooperate with EphA4 to promote trunk neural crest migration.
Gene Expr. 2002;10(5-6):295-305.
PMID: 12450221 [PubMed - indexed for MEDLINE]
- 59:** Lee YJ, Kim JH, Chen J, Song JJ. Related Articles, Links
Enhancement of metabolic oxidative stress-induced cytotoxicity by the thioredoxin inhibitor 1-methylpropyl 2-imidazolyl disulfide is mediated through the ASK1-SEK1-JNK1 pathway.
Mol Pharmacol. 2002 Dec;62(6):1409-17.
PMID: 12435809 [PubMed - indexed for MEDLINE]
- 60:** Nishida K, Flanagan JG, Nakamoto M. Related Articles, Links
Domain-specific olivocerebellar projection regulated by the EphA-ephrin-A interaction.
Development. 2002 Dec;129(24):5647-58.
PMID: 12421705 [PubMed - indexed for MEDLINE]
- 61:** Batlle E, Henderson JT, Beghtel H, van den Born MM, Sancho E, Huls G, Meeldijk J, Robertson J, van de Wetering M, Pawson T, Clevers H. Related Articles, Links
Beta-catenin and TCF mediate cell positioning in the intestinal epithelium by controlling the expression of EphB/ephrinB.
Cell. 2002 Oct 18;111(2):251-63.
PMID: 12408869 [PubMed - indexed for MEDLINE]
- 62:** Bianchi LM, Gray NA. Related Articles, Links
EphB receptors influence growth of ephrin-B1-positive statoacoustic nerve fibers.
Eur J Neurosci. 2002 Oct;16(8):1499-506.
PMID: 12405963 [PubMed - indexed for MEDLINE]

- 63:** [Irie F, Yamaguchi Y.](#) [Related Articles](#), [Links](#)
EphB receptors regulate dendritic spine development via intersectin, Cdc42 and N-WASP.
Nat Neurosci. 2002 Nov;5(11):1117-8. No abstract available.
PMID: 12389031 [PubMed - indexed for MEDLINE]
- 64:** [Shimoyama M, Matsuoka H, Nagata A, Iwata N, Tamekane A, Okamura A, Gomyo H, Ito M, Jishage K, Kamada N, Suzuki H, Tetsuo Noda T, Matsui T.](#) [Related Articles](#), [Links](#)
Developmental expression of EphB6 in the thymus: lessons from EphB6 knockout mice.
Biochem Biophys Res Commun. 2002 Oct 18;298(1):87-94.
PMID: 12379224 [PubMed - indexed for MEDLINE]
- 65:** [Yoshida K, Miki Y, Kufe D.](#) [Related Articles](#), [Links](#)
Activation of SAPK/JNK signaling by protein kinase Cdelta in response to DNA damage.
J Biol Chem. 2002 Dec 13;277(50):48372-8. Epub 2002 Oct 10.
PMID: 12377781 [PubMed - indexed for MEDLINE]
- 66:** [Watanabe T, Nakagawa K, Ohata S, Kitagawa D, Nishitai G, Seo J, Tanemura S, Shimizu N, Kishimoto H, Wada T, Aoki J, Arai H, Iwatsubo T, Mochita M, Watanabe T, Satake M, Ito Y, Matsuyama T, Mak TW, Penninger JM, Nishina H, Katada T.](#) [Related Articles](#), [Links](#)
SEK1/MKK4-mediated SAPK/JNK signaling participates in embryonic hepatoblast proliferation via a pathway different from NF-kappaB-induced anti-apoptosis.
Dev Biol. 2002 Oct 15;250(2):332-47.
PMID: 12376107 [PubMed - indexed for MEDLINE]
- 67:** [Itoh M, Adachi M, Yasui H, Takekawa M, Tanaka H, Imai K.](#) [Related Articles](#), [Links](#)
Nuclear export of glucocorticoid receptor is enhanced by c-Jun N-terminal kinase-mediated phosphorylation.
Mol Endocrinol. 2002 Oct;16(10):2382-92.
PMID: 12351702 [PubMed - indexed for MEDLINE]
- 68:** [Song JJ, Rhee JG, Suntharalingam M, Walsh SA, Spitz DR, Lee YJ.](#) [Related Articles](#), [Links](#)
Role of glutaredoxin in metabolic oxidative stress. Glutaredoxin as a sensor of oxidative stress mediated by H2O2.
J Biol Chem. 2002 Nov 29;277(48):46566-75. Epub 2002 Sep 19.
PMID: 12244106 [PubMed - indexed for MEDLINE]
- 69:** [St John JA, Pasquale EB, Key B.](#) [Related Articles](#), [Links](#)
EphA receptors and ephrin-A ligands exhibit highly regulated spatial and temporal expression patterns in the developing olfactory system.
Brain Res Dev Brain Res. 2002 Sep 20;138(1):1-14.
PMID: 12234653 [PubMed - indexed for MEDLINE]
- 70:** [Cramer KS, Karam SD, Bothwell M, Cerretti DP, Pasquale EB, Rubel EW.](#) [Related Articles](#), [Links](#)
Expression of EphB receptors and EphrinB ligands in the developing chick auditory brainstem.
J Comp Neurol. 2002 Oct 7;452(1):51-64.
PMID: 12205709 [PubMed - indexed for MEDLINE]
- 71:** [Matsuura H, Nishitoh H, Takeda K, Matsuzawa A, Amagasa T, Ito M, Yoshioka K, Ichijo H.](#) [Related Articles](#), [Links](#)
Phosphorylation-dependent scaffolding role of JSAP1/JIP3 in the ASK1-

- JNK signaling pathway. A new mode of regulation of the MAP kinase cascade.
J Biol Chem. 2002 Oct 25;277(43):40703-9. Epub 2002 Aug 19.
PMID: 12189133 [PubMed - indexed for MEDLINE]
- 72: [Wei W, Norton DD, Wang X, Kusiak JW.](#) [Related Articles](#), [Links](#)
- Abeta 17-42 in Alzheimer's disease activates JNK and caspase-8 leading to neuronal apoptosis.
Brain. 2002 Sep;125(Pt 9):2036-43.
PMID: 12183349 [PubMed - indexed for MEDLINE]
- 73: [Blanco MJ, Pena-Melian A, Nieto MA.](#) [Related Articles](#), [Links](#)
- Expression of EphA receptors and ligands during chick cerebellar development.
Mech Dev. 2002 Jun;114(1-2):225-9.
PMID: 12175516 [PubMed - indexed for MEDLINE]
- 74: [Hindges R, McLaughlin T, Genoud N, Henkemeyer M, O'Leary DD.](#) [Related Articles](#), [Links](#)
- EphB forward signaling controls directional branch extension and arborization required for dorsal-ventral retinotopic mapping.
Neuron. 2002 Aug 1;35(3):475-87.
PMID: 12165470 [PubMed - indexed for MEDLINE]
- 75: [Mann F, Ray S, Harris W, Holt C.](#) [Related Articles](#), [Links](#)
- Topographic mapping in dorsoventral axis of the Xenopus retinotectal system depends on signaling through ephrin-B ligands.
Neuron. 2002 Aug 1;35(3):461-73.
PMID: 12165469 [PubMed - indexed for MEDLINE]
- 76: [Pittman A, Chien CB.](#) [Related Articles](#), [Links](#)
- Understanding dorsoventral topography: backwards and forwards.
Neuron. 2002 Aug 1;35(3):409-11. Review.
PMID: 12165462 [PubMed - indexed for MEDLINE]
- 77: [Oike Y, Ito Y, Hamada K, Zhang XQ, Miyata K, Arai F, Inada T, Araki K, Nakagata N, Takeya M, Kisanuki YY, Yanagisawa M, Gale NW, Suda T.](#) [Related Articles](#), [Links](#)
- Regulation of vasculogenesis and angiogenesis by EphB/ephrin-B2 signaling between endothelial cells and surrounding mesenchymal cells.
Blood. 2002 Aug 15;100(4):1326-33.
PMID: 12149214 [PubMed - indexed for MEDLINE]
- 78: [Moreno-Flores MT, Martin-Aparicio E, Avila J, Diaz-Nido J, Wandosell F.](#) [Related Articles](#), [Links](#)
- Ephrin-B1 promotes dendrite outgrowth on cerebellar granule neurons.
Mol Cell Neurosci. 2002 Jul;20(3):429-46.
PMID: 12139920 [PubMed - indexed for MEDLINE]
- 79: [Chen AJ, Zhou G, Juan T, Colicos SM, Cannon JP, Cabriera-Hansen M, Meyer CF, Jurecic R, Copeland NG, Gilbert DJ, Jenkins NA, Fletcher F, Tan TH, Belmont JW.](#) [Related Articles](#), [Links](#)
- The dual specificity JKAP specifically activates the c-Jun N-terminal kinase pathway.
J Biol Chem. 2002 Sep 27;277(39):36592-601. Epub 2002 Jul 23.
PMID: 12138158 [PubMed - indexed for MEDLINE]
- 80: [Adams J, Huang P, Patrick D.](#) [Related Articles](#), [Links](#)
- A strategy for the design of multiplex inhibitors for kinase-mediated

- signalling in angiogenesis.
Curr Opin Chem Biol. 2002 Aug;6(4):486-92. Review.
PMID: 12133725 [PubMed - indexed for MEDLINE]
- 81: [Huynh-Do U, Vindis C, Liu H, Cerretti DP, McGrew JT, Enriquez M, Chen J, Daniel TO.](#) Related Articles, Links
- 82: [Santiago A, Erickson CA.](#) Related Articles, Links
- 83: [Mizuno K, Tagawa Y, Mitomo K, Watanabe N, Katagiri T, Ogimoto M, Yakura H.](#) Related Articles, Links
- 84: [Larsen AK, Moller MT, Blankson H, Samari HR, Holden L, Seglen PO.](#) Related Articles, Links
- 85: [Willson CA, Irizarry-Ramirez M, Gaskins HE, Cruz-Orengo L, Figueroa JD, Whittemore SR, Miranda JD.](#) Related Articles, Links
- 86: [Muscarella DE, Bloom SE.](#) Related Articles, Links
- 87: [Murata T, Goshima F, Yamauchi Y, Koshizuka T, Takakuwa H, Nishiyama Y.](#) Related Articles, Links
- 88: [Contractor A, Rogers C, Maron C, Henkemeyer M, Swanson GT, Heinemann SF.](#) Related Articles, Links
- 89: [Trans-synaptic Eph receptor-ephrin signaling in hippocampal mossy fiber LTP.](#) Science. 2002 Jun 7;296(5574):1864-9.
PMID: 12052960 [PubMed - indexed for MEDLINE]

- 89: [Kim J](#), [Ryu YS](#), [Kwak HJ](#), [Ahn SY](#), [Oh JL](#), [Yancopoulos GD](#), [Gale NW](#), [Koh GY](#). Related Articles, Links
- EphB ligand, ephrinB2, suppresses the VEGF- and angiopoietin 1-induced Ras/mitogen-activated protein kinase pathway in venous endothelial cells. *FASEB J.* 2002 Jul;16(9):1126-8. Epub 2002 May 21. PMID: 12039842 [PubMed - indexed for MEDLINE]
- 90: [Park HJ](#), [Kim BC](#), [Kim SJ](#), [Choi KS](#). Related Articles, Links
- Role of MAP kinases and their cross-talk in TGF-beta1-induced apoptosis in FaO rat hepatoma cell line. *Hepatology*. 2002 Jun;35(6):1360-71. PMID: 12029621 [PubMed - indexed for MEDLINE]
- 91: [Gerlai R](#). Related Articles, Links
- EphB and NMDA receptors: components of synaptic plasticity coming together. *Trends Neurosci.* 2002 Apr;25(4):180-1. No abstract available. PMID: 11998685 [PubMed - indexed for MEDLINE]
- 92: [Palmer A](#), [Zimmer M](#), [Erdmann KS](#), [Eulenburg V](#), [Porthin A](#), [Heumann R](#), [Deutsch U](#), [Klein R](#). Related Articles, Links
- EphrinB phosphorylation and reverse signaling: regulation by Src kinases and PTP-BL phosphatase. *Mol Cell*. 2002 Apr;9(4):725-37. PMID: 11983165 [PubMed - indexed for MEDLINE]
- 93: [Liu W](#), [Ahmad SA](#), [Jung YD](#), [Reinmuth N](#), [Fan F](#), [Bucana CD](#), [Ellis LM](#). Related Articles, Links
- Coexpression of ephrin-Bs and their receptors in colon carcinoma. *Cancer*. 2002 Feb 15;94(4):934-9. PMID: 11920461 [PubMed - indexed for MEDLINE]
- 94: [Patel BN](#), [Van Vactor DL](#). Related Articles, Links
- Axon guidance: the cytoplasmic tail. *Curr Opin Cell Biol.* 2002 Apr;14(2):221-9. Review. PMID: 11891122 [PubMed - indexed for MEDLINE]
- 95: [Wei W](#), [Wang X](#), [Kusiak JW](#). Related Articles, Links
- Signaling events in amyloid beta-peptide-induced neuronal death and insulin-like growth factor I protection. *J Biol Chem*. 2002 May 17;277(20):17649-56. Epub 2002 Mar 06. PMID: 11882652 [PubMed - indexed for MEDLINE]
- 96: [Gerety SS](#), [Anderson DJ](#). Related Articles, Links
- Cardiovascular ephrinB2 function is essential for embryonic angiogenesis. *Development*. 2002 Mar;129(6):1397-410. PMID: 11880349 [PubMed - indexed for MEDLINE]
- 97: [Knoll B](#), [Drescher U](#). Related Articles, Links
- Ephrin-As as receptors in topographic projections. *Trends Neurosci.* 2002 Mar;25(3):145-9. Review. PMID: 11852146 [PubMed - indexed for MEDLINE]
- 98: [Weng Y](#), [Wang Y](#), [Xue J](#), [Zhang Z](#), [Zhou Y](#), [Chen D](#), [Li C](#). Related Articles, Links
- [The influence of side-to-side portacaval shunt plus enhancement of perfusion of hepatic artery on cirrhotic liver: an experimental study] *Zhonghua Wai Ke Za Zhi*. 1998 Aug;36(8):487-90. Chinese. PMID: 11825448 [PubMed - indexed for MEDLINE]

- 99: [Shin EY, Kim SY, Kim EG.](#) [Related Articles](#), [Links](#)
-  c-Jun N-terminal kinase is involved in motility of endothelial cell.
Exp Mol Med. 2001 Dec 31;33(4):276-83.
PMID: 11795492 [PubMed - indexed for MEDLINE]
- 100: [Takasu MA, Dalva MB, Zigmund RE, Greenberg ME.](#) [Related Articles](#), [Links](#)
-  Modulation of NMDA receptor-dependent calcium influx and gene expression through EphB receptors.
Science. 2002 Jan 18;295(5554):491-5. Epub 2001 Dec 20.
PMID: 11799243 [PubMed - indexed for MEDLINE]
- 101: [Aoki H, Kang PM, Hampe J, Yoshimura K, Noma T, Matsuzaki M, Izumo S.](#) [Related Articles](#), [Links](#)
-  Direct activation of mitochondrial apoptosis machinery by c-Jun N-terminal kinase in adult cardiac myocytes.
J Biol Chem. 2002 Mar 22;277(12):10244-50. Epub 2002 Jan 10.
PMID: 11786558 [PubMed - indexed for MEDLINE]
- 102: [Stadheim TA, Kucera GL.](#) [Related Articles](#), [Links](#)
-  c-Jun N-terminal kinase/stress-activated protein kinase (JNK/SAPK) is required for mitoxantrone- and anisomycin-induced apoptosis in HL-60 cells.
Leuk Res. 2002 Jan;26(1):55-65.
PMID: 11734304 [PubMed - indexed for MEDLINE]
- 103: [Imondi R, Kaprielian Z.](#) [Related Articles](#), [Links](#)
-  Commissural axon pathfinding on the contralateral side of the floor plate: a role for B-class ephrins in specifying the dorsoventral position of longitudinally projecting commissural axons.
Development. 2001 Dec;128(23):4859-71.
PMID: 11731465 [PubMed - indexed for MEDLINE]
- 104: [Takahashi T, Takahashi K, Gerety S, Wang H, Anderson DJ, Daniel TO.](#) [Related Articles](#), [Links](#)
-  Temporally compartmentalized expression of ephrin-B2 during renal glomerular development.
J Am Soc Nephrol. 2001 Dec;12(12):2673-82.
PMID: 11729236 [PubMed - indexed for MEDLINE]
- 105: [Park HS, Kim MS, Huh SH, Park J, Chung J, Kang SS, Choi EJ.](#) [Related Articles](#), [Links](#)
-  Akt (protein kinase B) negatively regulates SEK1 by means of protein phosphorylation.
J Biol Chem. 2002 Jan 25;277(4):2573-8. Epub 2001 Nov 13.
PMID: 11707464 [PubMed - indexed for MEDLINE]
- 106: [Meadows GG, Zhang H, Ge X.](#) [Related Articles](#), [Links](#)
-  Specific amino acid deficiency alters the expression of genes in human melanoma and other tumor cell lines.
J Nutr. 2001 Nov;131(11 Suppl):3047S-50S.
PMID: 11694646 [PubMed - indexed for MEDLINE]
- 107: [Seraj MJ, Harding MA, Gildea JJ, Welch DR, Theodorescu D.](#) [Related Articles](#), [Links](#)
-  The relationship of BRMS1 and RhoGDI2 gene expression to metastatic potential in lineage related human bladder cancer cell lines.
Clin Exp Metastasis. 2000;18(6):519-25.
PMID: 11592309 [PubMed - indexed for MEDLINE]
- 108: [Ethell LM, Irie F, Kalo MS, Couchman JR, Pasquale EB.](#) [Related Articles](#), [Links](#)

- [Yamaguchi Y.](#)
- [EphB/syndecan-2 signaling in dendritic spine morphogenesis.](#)
Neuron. 2001 Sep 27;31(6):1001-13.
PMID: 11580899 [PubMed - indexed for MEDLINE]
- 109:** [Lyckman AW, Jhaveri S, Feldheim DA, Vanderhaeghen P, Flanagan JG, Sur M.](#) [Related Articles](#), [Links](#)
- [Enhanced plasticity of retinothalamic projections in an ephrin-A2/A5 double mutant.](#)
J Neurosci. 2001 Oct 1;21(19):7684-90.
PMID: 11567058 [PubMed - indexed for MEDLINE]
- 110:** [Yoshii S, Tanaka M, Otsuki Y, Fujiyama T, Kataoka H, Arai H, Hanai H, Sugimura H.](#) [Related Articles](#), [Links](#)
- [Involvement of alpha-PAK-interacting exchange factor in the PAK1-c-Jun NH\(2\)-terminal kinase 1 activation and apoptosis induced by benzo\[a\]pyrene.](#)
Mol Cell Biol. 2001 Oct;21(20):6796-807.
PMID: 11564864 [PubMed - indexed for MEDLINE]
- 111:** [Bae MA, Pie JE, Song BJ.](#) [Related Articles](#), [Links](#)
- [Acetaminophen induces apoptosis of C6 glioma cells by activating the c-Jun NH\(2\)-terminal protein kinase-related cell death pathway.](#)
Mol Pharmacol. 2001 Oct;60(4):847-56.
PMID: 11562448 [PubMed - indexed for MEDLINE]
- 112:** [Birgbauer E, Oster SF, Severin CG, Sretavan DW.](#) [Related Articles](#), [Links](#)
- [Retinal axon growth cones respond to EphB extracellular domains as inhibitory axon guidance cues.](#)
Development. 2001 Aug;128(15):3041-8.
PMID: 11532925 [PubMed - indexed for MEDLINE]
- 113:** [Huang EJ, Liu W, Fritzsch B, Bianchi LM, Reichardt LF, Xiang M.](#) [Related Articles](#), [Links](#)
- [Brn3a is a transcriptional regulator of soma size, target field innervation and axon pathfinding of inner ear sensory neurons.](#)
Development. 2001 Jul;128(13):2421-32.
PMID: 11493560 [PubMed - indexed for MEDLINE]
- 114:** [Zhang XQ, Takakura N, Oike Y, Inada T, Gale NW, Yancopoulos GD, Suda T.](#) [Related Articles](#), [Links](#)
- [Stromal cells expressing ephrin-B2 promote the growth and sprouting of ephrin-B2\(+\) endothelial cells.](#)
Blood. 2001 Aug 15;98(4):1028-37.
PMID: 11493448 [PubMed - indexed for MEDLINE]
- 115:** [Seo SR, Chong SA, Lee SI, Sung JY, Ahn YS, Chung KC, Seo JT.](#) [Related Articles](#), [Links](#)
- [Zn²⁺-induced ERK activation mediated by reactive oxygen species causes cell death in differentiated PC12 cells.](#)
J Neurochem. 2001 Aug;78(3):600-10.
PMID: 11483663 [PubMed - indexed for MEDLINE]
- 116:** [Knoll B, Isenmann S, Kilic E, Walkenhorst J, Engel S, Wehinger J, Bahr M, Drescher U.](#) [Related Articles](#), [Links](#)
- [Graded expression patterns of ephrin-As in the superior colliculus after lesion of the adult mouse optic nerve.](#)
Mech Dev. 2001 Aug;106(1-2):119-27.
PMID: 11472840 [PubMed - indexed for MEDLINE]

- 117: Tang XX, Evans AE, Zhao H, Cnaan A, Brodeur GM, Ikegaki N. Related Articles, Links
 Association among EPHB2, TrkA, and MYCN expression in low-stage neuroblastomas.
Med Pediatr Oncol. 2001 Jan;36(1):80-2.
 PMID: 11464911 [PubMed - indexed for MEDLINE]
- 118: Bruckner SR, Tammaro SP, Kuan CY, Flavell RA, Rakic P, Estus S. Related Articles, Links
 JNK3 contributes to c-Jun activation and apoptosis but not oxidative stress in nerve growth factor-deprived sympathetic neurons.
J Neurochem. 2001 Jul;78(2):298-303.
 PMID: 11461965 [PubMed - indexed for MEDLINE]
- 119: Matsuzawa A, Ichijo H. Related Articles, Links
 Molecular mechanisms of the decision between life and death: regulation of apoptosis by apoptosis signal-regulating kinase 1.
J Biochem (Tokyo). 2001 Jul;130(1):1-8. Review.
 PMID: 11432772 [PubMed - indexed for MEDLINE]
- 120: Chen F, Zhang Z, Leonard SS, Shi X. Related Articles, Links
 Contrasting roles of NF-kappaB and JNK in arsenite-induced p53-independent expression of GADD45alpha.
Oncogene. 2001 Jun 14;20(27):3585-9.
 PMID: 11429707 [PubMed - indexed for MEDLINE]
- 121: Gillis D, Shrode LD, Krump E, Howard CM, Rubie EA, Tibbles LA, Woodgett J, Grinstein S. Related Articles, Links
 Osmotic stimulation of the Na⁺/H⁺ exchanger NHE1: relationship to the activation of three MAPK pathways.
J Membr Biol. 2001 Jun 1;181(3):205-14.
 PMID: 11420607 [PubMed - indexed for MEDLINE]
- 122: Wada T, Nakagawa K, Watanabe T, Nishitai G, Seo J, Kishimoto H, Kitagawa D, Sasaki T, Penninger JM, Nishina H, Katada T. Related Articles, Links
 Impaired synergistic activation of stress-activated protein kinase SAPK/JNK in mouse embryonic stem cells lacking SEK1/MKK4: different contribution of SEK2/MKK7 isoforms to the synergistic activation.
J Biol Chem. 2001 Aug 17;276(33):30892-7. Epub 2001 Jun 19.
 PMID: 11418587 [PubMed - indexed for MEDLINE]
- 123: Chae HJ, Kim HR, Kwak YG, Ko JK, Joo CU, Chae SW. Related Articles, Links
 Signal transduction of nitric oxide donor-induced protection in hydrogen peroxide-mediated apoptosis in H9C2 cardiomyoblasts.
Immunopharmacol Immunotoxicol. 2001 May;23(2):187-204.
 PMID: 11417847 [PubMed - indexed for MEDLINE]
- 124: Bovenkamp DE, Greer PA. Related Articles, Links
 Degenerate PCR-based cloning method for Eph receptors and analysis of their expression in the developing murine central nervous system and vasculature.
DNA Cell Biol. 2001 Apr;20(4):203-13.
 PMID: 11403717 [PubMed - indexed for MEDLINE]
- 125: Marin O, Blanco MJ, Nieto MA. Related Articles, Links
 Differential expression of Eph receptors and ephrins correlates with the formation of topographic projections in primary and secondary visual circuits of the embryonic chick forebrain.

- Dev Biol. 2001 Jun 15;234(2):289-303.
PMID: 11397000 [PubMed - indexed for MEDLINE]
- 126: [Hamazaki T, Jiboshi Y, Oka M, Papst PJ, Meacham AM, Zen LI, Terada N.](#) Related Articles, Links
-  Hepatic maturation in differentiating embryonic stem cells in vitro.
FEBS Lett. 2001 May 18;497(1):15-9.
PMID: 11376655 [PubMed - indexed for MEDLINE]
- 127: [Morino K, Maegawa H, Fujita T, Takahara N, Egawa K, Kashiwagi A, Kikkawa R.](#) Related Articles, Links
-  Insulin-induced c-Jun N-terminal kinase activation is negatively regulated by protein kinase C delta.
Endocrinology. 2001 Jun;142(6):2669-76.
PMID: 11356718 [PubMed - indexed for MEDLINE]
- 128: [Shamah SM, Lin MZ, Goldberg JL, Estrach S, Sahin M, Hu L, Bazalakova M, Neve RL, Corfas G, Debant A, Greenberg ME.](#) Related Articles, Links
-  EphA receptors regulate growth cone dynamics through the novel guanine nucleotide exchange factor ephexin.
Cell. 2001 Apr 20;105(2):233-44.
PMID: 11336673 [PubMed - indexed for MEDLINE]
- 129: [Miao H, Wei BR, Peehl DM, Li Q, Alexandrou T, Schelling JR, Rhim JS, Sedor JR, Burnett E, Wang B.](#) Related Articles, Links
-  Activation of EphA receptor tyrosine kinase inhibits the Ras/MAPK pathway.
Nat Cell Biol. 2001 May;3(5):527-30.
PMID: 11331884 [PubMed - indexed for MEDLINE]
- 130: [Bozyczko-Coyne D, O'Kane TM, Wu ZL, Dobrzanski P, Murthy S, Vaught JL, Scott RW.](#) Related Articles, Links
-  CEP-1347/KT-7515, an inhibitor of SAPK/JNK pathway activation, promotes survival and blocks multiple events associated with Abeta-induced cortical neuron apoptosis.
J Neurochem. 2001 May;77(3):849-63.
PMID: 11331414 [PubMed - indexed for MEDLINE]
- 131: [Chen YR, Shrivastava A, Tan TH.](#) Related Articles, Links
-  Down-regulation of the c-Jun N-terminal kinase (JNK) phosphatase M3/6 and activation of JNK by hydrogen peroxide and pyrrolidine dithiocarbamate.
Oncogene. 2001 Jan 18;20(3):367-74.
PMID: 11313966 [PubMed - indexed for MEDLINE]
- 132: [Kunz M, Ibrahim S, Koczan D, Thiesen HJ, Kohler HJ, Acker T, Plate KH, Ludwig S, Rapp UR, Brocker EB, van Muijen GN, Flory E, Gross G.](#) Related Articles, Links
-  Activation of c-Jun NH₂-terminal kinase/stress-activated protein kinase (JNK/SAPK) is critical for hypoxia-induced apoptosis of human malignant melanoma.
Cell Growth Differ. 2001 Mar;12(3):137-45.
PMID: 11306514 [PubMed - indexed for MEDLINE]
- 133: [Song BJ, Soh Y, Bae M, Pie J, Wan J, Jeong K.](#) Related Articles, Links
-  Apoptosis of PC12 cells by 4-hydroxy-2-nonenal is mediated through selective activation of the c-Jun N-terminal protein kinase pathway.
Chem Biol Interact. 2001 Jan 30;130-132(1-3):943-54.
PMID: 11306108 [PubMed - indexed for MEDLINE]

- 134: [Lu Q, Sun EE, Klein RS, Flanagan JG.](#) [Related Articles](#), [Links](#)
 Ephrin-B reverse signaling is mediated by a novel PDZ-RGS protein and selectively inhibits G protein-coupled chemoattraction.
Cell. 2001 Apr 6;105(1):69-79.
 PMID: 11301003 [PubMed - indexed for MEDLINE]
- 135: [Arnold R, Liou J, Drexler HC, Weiss A, Kiefer F.](#) [Related Articles](#), [Links](#)
 Caspase-mediated cleavage of hematopoietic progenitor kinase 1 (HPK1) converts an activator of NF κ B into an inhibitor of NF κ B.
J Biol Chem. 2001 May 4;276(18):14675-84. Epub 2001 Jan 29.
 PMID: 11278403 [PubMed - indexed for MEDLINE]
- 136: [Soh JW, Mao Y, Liu L, Thompson WJ, Pamukcu R, Weinstein IB.](#) [Related Articles](#), [Links](#)
 Protein kinase G activates the JNK1 pathway via phosphorylation of MEKK1.
J Biol Chem. 2001 May 11;276(19):16406-10. Epub 2001 Mar 14.
 PMID: 11278263 [PubMed - indexed for MEDLINE]
- 137: [Sawada Y, Nakamura K, Doi K, Takeda K, Tobiume K, Saitoh M, Morita K, Komuro I, De Vos K, Sheetz M, Ichijo H.](#) [Related Articles](#), [Links](#)
 Rap1 is involved in cell stretching modulation of p38 but not ERK or JNK MAP kinase.
J Cell Sci. 2001 Mar;114(Pt 6):1221-7.
 PMID: 11228165 [PubMed - indexed for MEDLINE]
- 138: [Knoll B, Zarbalis K, Wurst W, Drescher U.](#) [Related Articles](#), [Links](#)
 A role for the EphA family in the topographic targeting of vomeronasal axons.
Development. 2001 Mar;128(6):895-906.
 PMID: 11222144 [PubMed - indexed for MEDLINE]
- 139: [Jeon SH, Kim YS, Bae CD, Park JB.](#) [Related Articles](#), [Links](#)
 Activation of JNK and p38 in rat hippocampus after kainic acid induced seizure.
Exp Mol Med. 2000 Dec 31;32(4):227-30.
 PMID: 11190275 [PubMed - indexed for MEDLINE]
- 140: [Sestan N, Rakic P, Donoghue MJ.](#) [Related Articles](#), [Links](#)
 Independent parcellation of the embryonic visual cortex and thalamus revealed by combinatorial Eph/ephrin gene expression.
Curr Biol. 2001 Jan 9;11(1):39-43.
 PMID: 11166178 [PubMed - indexed for MEDLINE]
- 141: [Ikeda A, Masaki M, Kozutsumi Y, Oka S, Kawasaki T.](#) [Related Articles](#), [Links](#)
 Identification and characterization of functional domains in a mixed lineage kinase LZK.
FEBS Lett. 2001 Jan 19;488(3):190-5.
 PMID: 11163770 [PubMed - indexed for MEDLINE]
- 142: [Menzel P, Valencia F, Godement P, Dodelet VC, Pasquale EB.](#) [Related Articles](#), [Links](#)
 Ephrin-A6, a new ligand for EphA receptors in the developing visual system.
Dev Biol. 2001 Feb 1;230(1):74-88.
 PMID: 11161563 [PubMed - indexed for MEDLINE]
- 143: [Park HS, Lee JS, Huh SH, Seo JS, Choi EJ.](#) [Related Articles](#), [Links](#)
 Hsp72 functions as a natural inhibitory protein of c-Jun N-terminal

-  kinase.
EMBO J. 2001 Feb 1;20(3):446-56.
PMID: 11157751 [PubMed - indexed for MEDLINE]
- 144: Ogawa K, Pasqualini R, Lindberg RA, Kain R, Freeman AL, Pasquale EB. [Related Articles](#), [Links](#)
 The ephrin-A1 ligand and its receptor, EphA2, are expressed during tumor neovascularization.
Oncogene. 2000 Dec 7;19(52):6043-52.
PMID: 11146556 [PubMed - indexed for MEDLINE]
- 145: Daiva MB, Takasu MA, Lin MZ, Shamah SM, Hu L, Gale NW, Greenberg ME. [Related Articles](#), [Links](#)
 EphB receptors interact with NMDA receptors and regulate excitatory synapse formation.
Cell. 2000 Dec 8;103(6):945-56.
PMID: 11136979 [PubMed - indexed for MEDLINE]
- 146: Xu Q, Mellitzer G, Wilkinson DG. [Related Articles](#), [Links](#)
 Roles of Eph receptors and ephrins in segmental patterning.
Philos Trans R Soc Lond B Biol Sci. 2000 Jul 29;355(1399):993-1002. Review.
PMID: 11128993 [PubMed - indexed for MEDLINE]
- 147: Arimura Y, Ogimoto M, Mitomo K, Katagiri T, Yamamoto K, Volarevic S, Mizuno K, Yakura H. [Related Articles](#), [Links](#)
 CD45 is required for CD40-induced inhibition of DNA synthesis and regulation of c-Jun NH₂-terminal kinase and p38 in BAL-17 B cells.
J Biol Chem. 2001 Mar 16;276(11):8550-6. Epub 2000 Dec 15.
PMID: 11118445 [PubMed - indexed for MEDLINE]
- 148: Diao J, Khine AA, Sarangi F, Hsu E, Iorio C, Tibbles LA, Woodgett JR, Penninger J, Richardson CD. [Related Articles](#), [Links](#)
 X protein of hepatitis B virus inhibits Fas-mediated apoptosis and is associated with up-regulation of the SAPK/JNK pathway.
J Biol Chem. 2001 Mar 16;276(11):8328-40. Epub 2000 Nov 30.
PMID: 11099494 [PubMed - indexed for MEDLINE]
- 149: Walkenhorst J, Dutting D, Handwerker C, Huai J, Tanaka H, Drescher U. [Related Articles](#), [Links](#)
 The EphA4 receptor tyrosine kinase is necessary for the guidance of nasal retinal ganglion cell axons in vitro.
Mol Cell Neurosci. 2000 Oct;16(4):365-75.
PMID: 11085874 [PubMed - indexed for MEDLINE]
- 150: Paasinen-Sohns A, Kielosto M, Kaariainen E, Eloranta T, Laine A, Janne OA, Birrer MJ, Holtta E. [Related Articles](#), [Links](#)
 c-Jun activation-dependent tumorigenic transformation induced paradoxically by overexpression or block of S-adenosylmethionine decarboxylase.
J Cell Biol. 2000 Nov 13;151(4):801-10.
PMID: 11076965 [PubMed - indexed for MEDLINE]
- 151: Soh JW, Mao Y, Kim MG, Pamukcu R, Li H, Piazza GA, Thompson WJ, Weinstein IB. [Related Articles](#), [Links](#)
 Cyclic GMP mediates apoptosis induced by sulindac derivatives via activation of c-Jun NH₂-terminal kinase 1.
Clin Cancer Res. 2000 Oct;6(10):4136-41. Erratum in: Clin Cancer Res 2000 Dec;6(12):4967.
PMID: 11051267 [PubMed - indexed for MEDLINE]
- 152: Sayama K, Hanakawa Y, Shirakata Y, Yamasaki K, Sawada Y. [Related Articles](#), [Links](#)


- Sun L, Yamanishi K, Ichijo H, Hashimoto K.
 Apoptosis signal-regulating kinase 1 (ASK1) is an intracellular inducer of keratinocyte differentiation.
J Biol Chem. 2001 Jan 12;276(2):999-1004.
 PMID: 11029458 [PubMed - indexed for MEDLINE]
- 153: Gabai VL, Meriin AB, Yaglom JA, Wei JY, Mosser DD, Sherman MY. [Related Articles](#), [Links](#)
-  Suppression of stress kinase JNK is involved in HSP72-mediated protection of myogenic cells from transient energy deprivation. HSP72 alleviates the stress-induced inhibition of JNK dephosphorylation.
J Biol Chem. 2000 Dec 1;275(48):38088-94.
 PMID: 10978340 [PubMed - indexed for MEDLINE]
- 154: Igarashi M, Yamaguchi H, Hirata A, Daimon M, Tominaga M, Kato T. [Related Articles](#), [Links](#)
-  Insulin activates p38 mitogen-activated protein (MAP) kinase via a MAP kinase kinase (MKK) 3/MKK 6 pathway in vascular smooth muscle cells.
Eur J Clin Invest. 2000 Aug;30(8):668-77.
 PMID: 10964158 [PubMed - indexed for MEDLINE]
- 155: Soh Y, Jeong KS, Lee JJ, Bae MA, Kim YC, Song BJ. [Related Articles](#), [Links](#)
-  Selective activation of the c-Jun N-terminal protein kinase pathway during 4-hydroxynonenal-induced apoptosis of PC12 cells.
Mol Pharmacol. 2000 Sep;58(3):535-41.
 PMID: 10953046 [PubMed - indexed for MEDLINE]
- 156: Lee HY, Suh YA, Robinson MJ, Clifford JL, Hong WK, Woodgett JR, Cobb MH, Mangelsdorf DJ, Kurie JM. [Related Articles](#), [Links](#)
-  Stress pathway activation induces phosphorylation of retinoid X receptor.
J Biol Chem. 2000 Oct 13;275(41):32193-9.
 PMID: 10938283 [PubMed - indexed for MEDLINE]
- 157: Saporito MS, Thomas BA, Scott RW. [Related Articles](#), [Links](#)
-  MPTP activates c-Jun NH(2)-terminal kinase (JNK) and its upstream regulatory kinase MKK4 in nigrostriatal neurons in vivo.
J Neurochem. 2000 Sep;75(3):1200-8.
 PMID: 10936203 [PubMed - indexed for MEDLINE]
- 158: Brown A, Yates PA, Burrola P, Ortuno D, Vaidya A, Jessell TM, Pfaff SL, O'Leary DD, Lemke G. [Related Articles](#), [Links](#)
-  Topographic mapping from the retina to the midbrain is controlled by relative but not absolute levels of EphA receptor signaling.
Cell. 2000 Jul 7;102(1):77-88.
 PMID: 10929715 [PubMed - indexed for MEDLINE]
- 159: Hirota Y, Tsukazaki T, Yonekura A, Miyazaki Y, Osaki M, Shindo H, Yamashita S. [Related Articles](#), [Links](#)
-  Activation of specific MEK-ERK cascade is necessary for TGFbeta signaling and crosstalk with PKA and PKC pathways in cultured rat articular chondrocytes.
Osteoarthritis Cartilage. 2000 Jul;8(4):241-7.
 PMID: 10903877 [PubMed - indexed for MEDLINE]
- 160: Yoshida K, Weichselbaum R, Kharbanda S, Kufe D. [Related Articles](#), [Links](#)
-  Role for Lyn tyrosine kinase as a regulator of stress-activated protein kinase activity in response to DNA damage.
Mol Cell Biol. 2000 Aug;20(15):5370-80.
 PMID: 10891478 [PubMed - indexed for MEDLINE]

- 161: Ward NL, Hagg T. [Related Articles](#), [Links](#)
 SEK1/MKK4, c-Jun and NFKappaB are differentially activated in forebrain neurons during postnatal development and injury in both control and p75NGFR-deficient mice.
Eur J Neurosci. 2000 Jun;12(6):1867-81.
 PMID: 10886328 [PubMed - indexed for MEDLINE]
- 162: Wilkinson DG. [Related Articles](#), [Links](#)
 Topographic mapping: organising by repulsion and competition?
Curr Biol. 2000 Jun 15;10(12):R447-51. Review.
 PMID: 10873795 [PubMed - indexed for MEDLINE]
- 163: Ding W, Templeton DM. [Related Articles](#), [Links](#)
 Stress-activated protein kinase-dependent induction of c-fos by Cd(2+) is mediated by MKK7.
Biochem Biophys Res Commun. 2000 Jul 5;273(2):718-22.
 PMID: 10873670 [PubMed - indexed for MEDLINE]
- 164: Kharbanda S, Pandey P, Yamauchi T, Kumar S, Kaneki M, Kumar V, Bharti A, Yuan ZM, Ghanem L, Rana A, Weichselbaum R, Johnson G, Kufe D. [Related Articles](#), [Links](#)
 Activation of MEK kinase 1 by the c-Abl protein tyrosine kinase in response to DNA damage.
Mol Cell Biol. 2000 Jul;20(14):4979-89.
 PMID: 10866655 [PubMed - indexed for MEDLINE]
- 165: Jeong J, Choi S, Gu C, Lee H, Park S. [Related Articles](#), [Links](#)
 Genomic structure and promoter analysis of the mouse EphA8 receptor tyrosine kinase gene.
DNA Cell Biol. 2000 May;19(5):291-300.
 PMID: 10855796 [PubMed - indexed for MEDLINE]
- 166: Maroni P, Bendinelli P, Zuccarononno C, Schiaffonati L, Piccoletti R. [Related Articles](#), [Links](#)
 Cellular signalling after in vivo heat shock in the liver.
Cell Biol Int. 2000;24(3):145-52.
 PMID: 10772775 [PubMed - indexed for MEDLINE]
- 167: Nakagawa S, Brennan C, Johnson KG, Shewan D, Harris WA, Holt CE. [Related Articles](#), [Links](#)
 Ephrin-B regulates the Ipsilateral routing of retinal axons at the optic chiasm.
Neuron. 2000 Mar;25(3):599-610.
 PMID: 10774728 [PubMed - indexed for MEDLINE]
- 168: Huang Y, Hutter D, Liu Y, Wang X, Sheikh MS, Chan AM, Holbrook NJ. [Related Articles](#), [Links](#)
 Transforming growth factor-beta 1 suppresses serum deprivation-induced death of A549 cells through differential effects on c-Jun and JNK activities.
J Biol Chem. 2000 Jun 16;275(24):18234-42.
 PMID: 10748131 [PubMed - indexed for MEDLINE]
- 169: Wilkinson DG. [Related Articles](#), [Links](#)
 Eph receptors and ephrins: regulators of guidance and assembly.
Int Rev Cytol. 2000;196:177-244. Review.
 PMID: 10730216 [PubMed - indexed for MEDLINE]
- 170: Gerlai R, McNamara A. [Related Articles](#), [Links](#)


- Anesthesia induced retrograde amnesia is ameliorated by ephrinA5-IgG in mice: EphA receptor tyrosine kinases are involved in mammalian memory.
Behav Brain Res. 2000 Mar;108(2):133-43.
PMID: 10701657 [PubMed - indexed for MEDLINE]
- 171: [Koblar SA](#), [Krull CE](#), [Pasquale EB](#), [McLennan R](#), [Peale FD](#), [Cerretti DP](#), [Bothwell M](#). [Related Articles](#), [Links](#)
- Spinal motor axons and neural crest cells use different molecular guides for segmental migration through the rostral half-somite.
J Neurobiol. 2000 Mar;42(4):437-47.
PMID: 10699981 [PubMed - indexed for MEDLINE]
- 172: [Birgbauer E](#), [Cowan CA](#), [Sretavan DW](#), [Henkemeyer M](#). [Related Articles](#), [Links](#)
- Kinase independent function of EphB receptors in retinal axon pathfinding to the optic disc from dorsal but not ventral retina.
Development. 2000 Mar;127(6):1231-41.
PMID: 10683176 [PubMed - indexed for MEDLINE]
- 173: [Iwamasa H](#), [Ohta K](#), [Yamada T](#), [Ushijima K](#), [Terasaki H](#), [Tanaka H](#). [Related Articles](#), [Links](#)
- Expression of Eph receptor tyrosine kinases and their ligands in chick embryonic motor neurons and hindlimb muscles.
Dev Growth Differ. 1999 Dec;41(6):685-98.
PMID: 10646798 [PubMed - indexed for MEDLINE]
- 174: [Stadheim TA](#), [Saluta GR](#), [Kucera GL](#). [Related Articles](#), [Links](#)
- Role of c-Jun N-terminal kinase/p38 stress signaling in 1-beta-D-arabinofuranosylcytosine-induced apoptosis.
Biochem Pharmacol. 2000 Feb 15;59(4):407-18.
PMID: 10644049 [PubMed - indexed for MEDLINE]
- 175: [Yasuda S](#), [Inoue K](#), [Hirabayashi M](#), [Higashiyama H](#), [Yamamoto Y](#), [Fuyuhiro H](#), [Komure O](#), [Tanaka F](#), [Sobue G](#), [Tsuchiya K](#), [Hamada K](#), [Sasaki H](#), [Takeda K](#), [Ichijo H](#), [Kakizuka A](#). [Related Articles](#), [Links](#)
- Triggering of neuronal cell death by accumulation of activated SEK1 on nuclear polyglutamine aggregations in PML bodies.
Genes Cells. 1999 Dec;4(12):743-56.
PMID: 10620019 [PubMed - indexed for MEDLINE]
- 176: [Jordanov MS](#), [Paranjape JM](#), [Zhou A](#), [Wong J](#), [Williams BR](#), [Meurs EF](#), [Silverman RH](#), [Magun BE](#). [Related Articles](#), [Links](#)
- Activation of p38 mitogen-activated protein kinase and c-Jun NH(2)-terminal kinase by double-stranded RNA and encephalomyocarditis virus: involvement of RNase L, protein kinase R, and alternative pathways.
Mol Cell Biol. 2000 Jan;20(2):617-27.
PMID: 10611240 [PubMed - indexed for MEDLINE]
- 177: [Hebling PM](#), [Saulnier DM](#), [Brandli AW](#). [Related Articles](#), [Links](#)
- The receptor tyrosine kinase EphB4 and ephrin-B ligands restrict angiogenic growth of embryonic veins in *Xenopus laevis*.
Development. 2000 Jan;127(2):269-78.
PMID: 10603345 [PubMed - indexed for MEDLINE]
- 178: [Kieran MW](#), [Katz S](#), [Vail B](#), [Zon LI](#), [Mayer BJ](#). [Related Articles](#), [Links](#)
- Concentration-dependent positive and negative regulation of a MAP kinase by a MAP kinase kinase.
Oncogene. 1999 Nov 18;18(48):6647-57.
PMID: 10597270 [PubMed - indexed for MEDLINE]

- 179: Choi JY, Woo SD, Je YH, Kang SK. [Related Articles](#), [Links](#)
 Development of a novel expression vector system using Spodoptera exigua nucleopolyhedrovirus.
Mol Cells. 1999 Oct 31;9(5):504-9.
 PMID: 10597039 [PubMed - indexed for MEDLINE]
- 180: Yoshida BA, Dubauskas Z, Chekmareva MA, Christiano TR, Stadler WM, Rinker-Schaeffer CW. [Related Articles](#), [Links](#)
 Mitogen-activated protein kinase kinase 4/stress-activated protein/Erk kinase 1 (MKK4/SEK1), a prostate cancer metastasis suppressor gene encoded by human chromosome 17.
Cancer Res. 1999 Nov 1;59(21):5483-7.
 PMID: 10554023 [PubMed - indexed for MEDLINE]
- 181: Guan Z, Buckman SY, Springer LD, Morrison AR. [Related Articles](#), [Links](#)
 Both p38alpha(MAPK) and JNK/SAPK pathways are important for induction of nitric-oxide synthase by interleukin-1beta in rat glomerular mesangial cells.
J Biol Chem. 1999 Dec 17;274(51):36200-6.
 PMID: 10593906 [PubMed - indexed for MEDLINE]
- 182: Kalo MS, Pasquale EB. [Related Articles](#), [Links](#)
 Multiple in vivo tyrosine phosphorylation sites in EphB receptors.
Biochemistry. 1999 Oct 26;38(43):14396-408.
 PMID: 10572014 [PubMed - indexed for MEDLINE]
- 183: Gerlai R, Shinsky N, Shih A, Williams P, Winer J, Armanini M, Cairns B, Winslow J, Gao W, Phillips HS. [Related Articles](#), [Links](#)
 Regulation of learning by EphA receptors: a protein targeting study.
J Neurosci. 1999 Nov 1;19(21):9538-49.
 PMID: 10531456 [PubMed - indexed for MEDLINE]
- 184: Procyk KJ, Rippo MR, Testi R, Hoffmann F, Parker PJ, Baccarini M. [Related Articles](#), [Links](#)
 Distinct mechanisms target stress and extracellular signal-activated kinase 1 and Jun N-terminal kinase during infection of macrophages with *Salmonella*.
J Immunol. 1999 Nov 1;163(9):4924-30.
 PMID: 10528195 [PubMed - indexed for MEDLINE]
- 185: Li S, Wattenberg EV. [Related Articles](#), [Links](#)
 Cell-type-specific activation of p38 protein kinase cascades by the novel tumor promoter palytoxin.
Toxicol Appl Pharmacol. 1999 Oct 15;160(2):109-19.
 PMID: 10527909 [PubMed - indexed for MEDLINE]
- 186: Ito M, Yoshioka K, Akechi M, Yamashita S, Takamatsu N, Sugiyama K, Hibi M, Nakabeppu Y, Shiba T, Yamamoto KI. [Related Articles](#), [Links](#)
 JSAP1, a novel jun N-terminal protein kinase (JNK)-binding protein that functions as a Scaffold factor in the JNK signaling pathway.
Mol Cell Biol. 1999 Nov;19(11):7539-48.
 PMID: 10523642 [PubMed - indexed for MEDLINE]
- 187: Gerety SS, Wang HU, Chen ZF, Anderson DJ. [Related Articles](#), [Links](#)
 Symmetrical mutant phenotypes of the receptor EphB4 and its specific transmembrane ligand ephrin-B2 in cardiovascular development.
Mol Cell. 1999 Sep;4(3):403-14.
 PMID: 10518221 [PubMed - indexed for MEDLINE]

- 188: [Donoghue MJ, Rakic P.](#) [Related Articles](#), [Links](#)
 Molecular gradients and compartments in the embryonic primate cerebral cortex.
Cereb Cortex. 1999 Sep;9(6):586-600.
 PMID: 10498277 [PubMed - indexed for MEDLINE]
- 189: [Rogers JH, Ciossek T, Menzel P, Pasquale EB.](#) [Related Articles](#), [Links](#)
 Eph receptors and ephrins demarcate cerebellar lobules before and during their formation.
Mech Dev. 1999 Sep;87(1-2):119-28.
 PMID: 10495276 [PubMed - indexed for MEDLINE]
- 190: [Vasilevskaya IA, O'Dwyer PJ.](#) [Related Articles](#), [Links](#)
 Effects of geldanamycin on signaling through activator-protein 1 in hypoxic HT29 human colon adenocarcinoma cells.
Cancer Res. 1999 Aug 15;59(16):3935-40.
 PMID: 10463587 [PubMed - indexed for MEDLINE]
- 191: [Kim SH, Kim D, Jung GS, Um JH, Chung BS, Kang CD.](#) [Related Articles](#), [Links](#)
 Involvement of c-Jun NH(2)-terminal kinase pathway in differential regulation of heat shock proteins by anticancer drugs.
Biochem Biophys Res Commun. 1999 Aug 27;262(2):516-22.
 PMID: 10462506 [PubMed - indexed for MEDLINE]
- 192: [Miyashita-Lin EM, Heyner R, Wasserman KM, Martinez S, Rubenstein JL.](#) [Related Articles](#), [Links](#)
 Early neocortical regionalization in the absence of thalamic innervation.
Science. 1999 Aug 6;285(5429):906-9.
 PMID: 10436162 [PubMed - indexed for MEDLINE]
- 193: [Gozal E, Simakajornboon N, Dausman JD, Xue YD, Corti M, El-Dahr SS, Gozal D.](#) [Related Articles](#), [Links](#)
 Hypoxia induces selective SAPK/JNK-2-AP-1 pathway activation in the nucleus tractus solitarius of the conscious rat.
J Neurochem. 1999 Aug;73(2):665-74.
 PMID: 10428063 [PubMed - indexed for MEDLINE]
- 194: [Srivastava RK, Sollett SJ, Khan L, Hansford R, Lakatta EG, Longo DL.](#) [Related Articles](#), [Links](#)
 Bcl-2 and Bcl-X(L) block thapsigargin-induced nitric oxide generation, c-Jun NH(2)-terminal kinase activity, and apoptosis.
Mol Cell Biol. 1999 Aug;19(8):5659-74.
 PMID: 10409755 [PubMed - indexed for MEDLINE]
- 195: [Donoghue MJ, Rakic P.](#) [Related Articles](#), [Links](#)
 Molecular evidence for the early specification of presumptive functional domains in the embryonic primate cerebral cortex.
J Neurosci. 1999 Jul 15;19(14):5967-79.
 PMID: 10407035 [PubMed - indexed for MEDLINE]
- 196: [Mellitzer G, Xu Q, Wilkinson DG.](#) [Related Articles](#), [Links](#)
 Eph receptors and ephrins restrict cell intermingling and communication.
Nature. 1999 Jul 1;400(6739):77-81.
 PMID: 10403252 [PubMed - indexed for MEDLINE]
- 197: [Sanchez-Perez I, Perona R.](#) [Related Articles](#), [Links](#)
 Lack of c-Jun activity increases survival to cisplatin.
FEBS Lett. 1999 Jun 18;453(1-2):151-8.

PMID: 10403393 [PubMed - indexed for MEDLINE]

- 198: [Chen F, Demers LM, Vallyathan V, Ding M, Lu Y, Castranova V, Shi X.](#) [Related Articles](#), [Links](#)

 Vanadate induction of NF-kappaB involves IkappaB kinase beta and SAPK/ERK kinase 1 in macrophages.
J Biol Chem. 1999 Jul 16;274(29):20307-12.
PMID: 10400652 [PubMed - indexed for MEDLINE]

- 199: [Vidovic M, Marotte LR, Mark RF.](#) [Related Articles](#), [Links](#)

 Marsupial retinocollicular system shows differential expression of messenger RNA encoding EphA receptors and their ligands during development.
J Neurosci Res. 1999 Jul 15;37(2):244-54.
PMID: 10398302 [PubMed - indexed for MEDLINE]

- 200: [Tang XX, Evans AE, Zhao H, Cnaan A, London W, Cohn SL, Brodeur GM, Ikegaki N.](#) [Related Articles](#), [Links](#)

 High-level expression of EPHB6, EFNB2, and EFNB3 is associated with low tumor stage and high TrkA expression in human neuroblastomas.
Clin Cancer Res. 1999 Jun;5(6):1491-6.
PMID: 10389937 [PubMed - indexed for MEDLINE]

- 201: [Janis LS, Cassidy RM, Kromer LF.](#) [Related Articles](#), [Links](#)

 Ephrin-A binding and EphA receptor expression delineate the matrix compartment of the striatum.
J Neurosci. 1999 Jun 15;19(12):4962-71.
PMID: 10366629 [PubMed - indexed for MEDLINE]

- 202: [Scully AL, McKeown M, Thomas JB.](#) [Related Articles](#), [Links](#)

 Isolation and characterization of Dek, a Drosophila eph receptor protein tyrosine kinase.
Mol Cell Neurosci. 1999 May;13(5):337-47.
PMID: 10356296 [PubMed - indexed for MEDLINE]

- 203: [Okumura K, Shirasawa S, Nishioka M, Sasazuki T.](#) [Related Articles](#), [Links](#)

 Activated Ki-Ras suppresses 12-O-tetradecanoylphorbol-13-acetate-induced activation of the c-Jun NH₂-terminal kinase pathway in human colon cancer cells.
Cancer Res. 1999 May 15;59(10):2445-50.
PMID: 10344756 [PubMed - indexed for MEDLINE]

- 204: [Page K, Li J, Hershenzon MB.](#) [Related Articles](#), [Links](#)

 Platelet-derived growth factor stimulation of mitogen-activated protein kinases and cyclin D1 promoter activity in cultured airway smooth-muscle cells. Role of Ras.
Am J Respir Cell Mol Biol. 1999 Jun;20(6):1294-302.
PMID: 10340949 [PubMed - indexed for MEDLINE]

- 205: [Hornberger MR, Dutting D, Ciossek T, Yamada T, Handwerker C, Lang S, Weth F, Huf J, Wessel R, Logan C, Tanaka H, Drescher U.](#) [Related Articles](#), [Links](#)

 Modulation of EphA receptor function by coexpressed ephrinA ligands on retinal ganglion cell axons.
Neuron. 1999 Apr;22(4):731-42.
PMID: 10230793 [PubMed - indexed for MEDLINE]

- 206: [McLaughlin T, O'Leary DD.](#) [Related Articles](#), [Links](#)

- Functional consequences of coincident expression of EphA receptors and ephrin-A ligands.
Neuron. 1999 Apr;22(4):636-9. No abstract available.
PMID: 10230779 [PubMed - indexed for MEDLINE]
- 207: Pandey P, Avraham S, Kumar S, Nakazawa A, Place A, Ghanem L, Rana A, Kumar V, Majumder PK, Avraham H, Davis RJ, Kharbanda S. Related Articles, Links
Activation of p38 mitogen-activated protein kinase by PYK2/related adhesion focal tyrosine kinase-dependent mechanism.
J Biol Chem. 1999 Apr 9;274(15):10140-4.
PMID: 10187797 [PubMed - indexed for MEDLINE]
- 208: Lee JK, Hwang WS, Lee YD, Han PL. Related Articles, Links
Dynamic expression of SEK1 suggests multiple roles of the gene during embryogenesis and in adult brain of mice.
Brain Res Mol Brain Res. 1999 Mar 20;66(1-2):133-40.
PMID: 10095085 [PubMed - indexed for MEDLINE]
- 209: Meriin AB, Yaglom JA, Gabai VL, Zon L, Ganiatsas S, Mosser DD, Zon L, Sherman MY. Related Articles, Links
Protein-damaging stresses activate c-Jun N-terminal kinase via inhibition of its dephosphorylation: a novel pathway controlled by HSP72.
Mol Cell Biol. 1999 Apr;19(4):2547-55. Erratum in: Mol Cell Biol 1999 Jul;19(7):5235.
PMID: 10082520 [PubMed - indexed for MEDLINE]
- 210: Behrens A, Sibilia M, Wagner EF. Related Articles, Links
Amino-terminal phosphorylation of c-Jun regulates stress-induced apoptosis and cellular proliferation.
Nat Genet. 1999 Mar;21(3):326-9.
PMID: 10080190 [PubMed - indexed for MEDLINE]
- 211: Tang XX, Brodeur GM, Campling BG, Ikegaki N. Related Articles, Links
Coexpression of transcripts encoding EPHB receptor protein tyrosine kinases and their ephrin-B ligands in human small cell lung carcinoma.
Clin Cancer Res. 1999 Feb;5(2):455-60.
PMID: 10037197 [PubMed - indexed for MEDLINE]
- 212: Adams RH, Wilkinson GA, Weiss C, Diella F, Gale NW, Deutsch U, Risau W, Klein R. Related Articles, Links
Roles of ephrinB ligands and EphB receptors in cardiovascular development: demarcation of arterial/venous domains, vascular morphogenesis, and sprouting angiogenesis.
Genes Dev. 1999 Feb 1;13(3):295-306.
PMID: 9990854 [PubMed - indexed for MEDLINE]
- 213: Chen Z, Seimiya H, Naito M, Mashima T, Kizaki A, Dan S, Imaizumi M, Ichijo H, Miyazono K, Tsuruo T. Related Articles, Links
ASK1 mediates apoptotic cell death induced by genotoxic stress.
Oncogene. 1999 Jan 7;18(1):173-80.
PMID: 9926932 [PubMed - indexed for MEDLINE]
- 214: Westermark J, Holmstrom T, Ahonen M, Eriksson JE, Kahari VM. Related Articles, Links
Enhancement of fibroblast collagenase-1 (MMP-1) gene expression by tumor promoter okadaic acid is mediated by stress-activated protein kinases Jun N-terminal kinase and p38.
Matrix Biol. 1998 Dec;17(8-9):547-57.
PMID: 9923649 [PubMed - indexed for MEDLINE]

- 215: [Bianchi LM, Liu H.](#) [Related Articles](#), [Links](#)
 Comparison of ephrin-A ligand and EphA receptor distribution in the developing inner ear.
Anat Rec. 1999 Jan;254(1):127-34.
 PMID: 9892426 [PubMed - indexed for MEDLINE]
- 216: [Phelan DR, Loveland KL, Devereux L, Dorow DS.](#) [Related Articles](#), [Links](#)
 Expression of mixed lineage kinase 2 in germ cells of the testis.
Mol Reprod Dev. 1999 Feb;52(2):135-40.
 PMID: 9890743 [PubMed - indexed for MEDLINE]
- 217: [Ling P, Yao Z, Meyer CF, Wang XS, Oehrl W, Feller SM, Tan TH.](#) [Related Articles](#), [Links](#)
 Interaction of hematopoietic progenitor kinase 1 with adapter proteins Crk and CrkL leads to synergistic activation of c-Jun N-terminal kinase.
Mol Cell Biol. 1999 Feb;19(2):1359-68.
 PMID: 9891069 [PubMed - indexed for MEDLINE]
- 218: [Soh JW, Lee EH, Prywes R, Weinstein IB.](#) [Related Articles](#), [Links](#)
 Novel roles of specific isoforms of protein kinase C in activation of the c-fos serum response element.
Mol Cell Biol. 1999 Feb;19(2):1313-24.
 PMID: 9891065 [PubMed - indexed for MEDLINE]
- 219: [Nishina H, Vaz C, Billia P, Nghiem M, Sasaki T, De la Pompa JL, Furlonger K, Paige C, Hui C, Fischer KD, Kishimoto H, Iwatsubo T, Katada T, Woodgett JR, Penninger JM.](#) [Related Articles](#), [Links](#)
 Defective liver formation and liver cell apoptosis in mice lacking the stress signaling kinase SEK1/MKK4.
Development. 1999 Feb;126(3):505-16.
 PMID: 9876179 [PubMed - indexed for MEDLINE]
- 220: [Hebling PM, Tran CT, Brandli AW.](#) [Related Articles](#), [Links](#)
 Requirement for EphA receptor signaling in the segregation of Xenopus third and fourth arch neural crest cells.
Mech Dev. 1998 Nov;78(1-2):63-79.
 PMID: 9858686 [PubMed - indexed for MEDLINE]
- 221: [Kaneki M, Kharbanda S, Pandey P, Yoshida K, Takekawa M, Liou JR, Stone R, Kufe D.](#) [Related Articles](#), [Links](#)
 Functional role for protein kinase C β as a regulator of stress-activated protein kinase activation and monocytic differentiation of myeloid leukemia cells.
Mol Cell Biol. 1999 Jan;19(1):461-70.
 PMID: 9858570 [PubMed - indexed for MEDLINE]
- 222: [Dottori M, Hartley L, Galea M, Paxinos G, Polizzotto M, Kilpatrick T, Bartlett PF, Murphy M, Kontgen F, Boyd AW.](#) [Related Articles](#), [Links](#)
 EphA4 (Sek1) receptor tyrosine kinase is required for the development of the corticospinal tract.
Proc Natl Acad Sci U S A. 1998 Oct 27;95(22):13248-53.
 PMID: 9789074 [PubMed - indexed for MEDLINE]
- 223: [McPherson JP, Goldenberg GJ.](#) [Related Articles](#), [Links](#)
 Induction of apoptosis by deregulated expression of DNA topoisomerase IIalpha.
Cancer Res. 1998 Oct 15;58(20):4519-24.
 PMID: 9788593 [PubMed - indexed for MEDLINE]

224: Liu YF.[Related Articles](#), [Links](#)

-  Expression of polyglutamine-expanded Huntingtin activates the SEK1-JNK pathway and induces apoptosis in a hippocampal neuronal cell line.
J Biol Chem. 1998 Oct 30;273(44):28873-7.
 PMID: 9786889 [PubMed - indexed for MEDLINE]

 225: Guan Z, Buckman SY, Miller BW, Springer LD, Morrison AR. [Related Articles](#), [Links](#)

-  Interleukin-1beta-induced cyclooxygenase-2 expression requires activation of both c-Jun NH₂-terminal kinase and p38 MAPK signal pathways in rat renal mesangial cells.
J Biol Chem. 1998 Oct 30;273(44):28670-6.
 PMID: 9786861 [PubMed - indexed for MEDLINE]

 226: Haq R, Zanke B. [Related Articles](#), [Links](#)

-  Inhibition of apoptotic signaling pathways in cancer cells as a mechanism of chemotherapy resistance.
Cancer Metastasis Rev. 1998 Jun;17(2):233-9. Review.
 PMID: 9770120 [PubMed - indexed for MEDLINE]

 227: Wiedgren U, Jiang XJ, Krook A, Chibalin AV, Bjornholm M, Tally M, Roth RA, Henriksson J, Wallberg-henriksson H, Zierath JR. [Related Articles](#), [Links](#)

-  Divergent effects of exercise on metabolic and mitogenic signaling pathways in human skeletal muscle.
FASEB J. 1998 Oct;12(13):1379-89.
 PMID: 9761781 [PubMed - indexed for MEDLINE]

 228: Nishina H, Radvanyi L, Raju K, Sasaki T, Kozieradzki I, Penninger JM. [Related Articles](#), [Links](#)

-  Impaired TCR-mediated apoptosis and Bcl-XL expression in T cells lacking the stress kinase activator SEK1/MKK4.
J Immunol. 1998 Oct 1;161(7):3416-20.
 PMID: 9759859 [PubMed - indexed for MEDLINE]

 229: Hirata Y, Adachi K, Kiuchi K. [Related Articles](#), [Links](#)

-  Activation of JNK pathway and induction of apoptosis by manganese in PC12 cells.
J Neurochem. 1998 Oct;71(4):1607-15.
 PMID: 9751194 [PubMed - indexed for MEDLINE]

 230: Ciossek T, Monschau B, Kremoser C, Loschinger J, Lang S, Muller BK, Bonhoeffer F, Drescher U. [Related Articles](#), [Links](#)

-  Eph receptor-ligand interactions are necessary for guidance of retinal ganglion cell axons in vitro.
Eur J Neurosci. 1998 May;10(5):1574-80.
 PMID: 9751130 [PubMed - indexed for MEDLINE]

 231: Luo Y, Kokkonen GC, Wang X, Neve KA, Roth GS. [Related Articles](#), [Links](#)

-  D2 dopamine receptors stimulate mitogenesis through pertussis toxin-sensitive G proteins and Ras-involved ERK and SAP/JNK pathways in rat C6-D2L glioma cells.
J Neurochem. 1998 Sep;71(3):980-90.
 PMID: 9721723 [PubMed - indexed for MEDLINE]

 232: Avraham A, Jung S, Samuels Y, Seger R, Ben-Neriah Y. [Related Articles](#), [Links](#)

-  Co-stimulation-dependent activation of a JNK-kinase in T lymphocytes.
Eur J Immunol. 1998 Aug;28(8):2320-30.
 PMID: 9710210 [PubMed - indexed for MEDLINE]

- 233: Kawakami Y, Hartman SE, Holland PM, Cooper JA, Kawakami T. [Related Articles](#), [Links](#)
 Multiple signaling pathways for the activation of JNK in mast cells: involvement of Bruton's tyrosine kinase, protein kinase C, and JNK kinases, SEK1 and MKK7.
J Immunol. 1998 Aug 15;161(4):1795-802.
 PMID: 9712046 [PubMed - indexed for MEDLINE]
- 234: Li S, Wattenberg EV. [Related Articles](#), [Links](#)
 Differential activation of mitogen-activated protein kinases by palytoxin and ouabain, two ligands for the Na⁺K⁺-ATPase.
Toxicol Appl Pharmacol. 1998 Aug;151(2):377-84.
 PMID: 9707514 [PubMed - indexed for MEDLINE]
- 235: Takekawa M, Maeda T, Saito H. [Related Articles](#), [Links](#)
 Protein phosphatase 2Calpha inhibits the human stress-responsive p38 and JNK MAPK pathways.
EMBO J. 1998 Aug 17;17(16):4744-52.
 PMID: 9707433 [PubMed - indexed for MEDLINE]
- 236: Leppa S, Saffrich R, Ansorge W, Bohmann D. [Related Articles](#), [Links](#)
 Differential regulation of c-Jun by ERK and JNK during PC12 cell differentiation.
EMBO J. 1998 Aug 3;17(15):4404-13.
 PMID: 9687508 [PubMed - indexed for MEDLINE]
- 237: Chen YR, Tan TH. [Related Articles](#), [Links](#)
 Inhibition of the c-Jun N-terminal kinase (JNK) signaling pathway by curcumin.
Oncogene. 1998 Jul 16;17(2):173-8.
 PMID: 9674701 [PubMed - indexed for MEDLINE]
- 238: Yang J, New L, Jiang Y, Han J, Su B. [Related Articles](#), [Links](#)
 Molecular cloning and characterization of a human protein kinase that specifically activates c-Jun N-terminal kinase.
Gene. 1998 May 28;212(1):95-102.
 PMID: 9661668 [PubMed - indexed for MEDLINE]
- 239: Zanke BW, Lee C, Arab S, Tannock IF. [Related Articles](#), [Links](#)
 Death of tumor cells after intracellular acidification is dependent on stress-activated protein kinases (SAPK/JNK) pathway activation and cannot be inhibited by Bcl-2 expression or interleukin 1beta-converting enzyme inhibition.
Cancer Res. 1998 Jul 1;58(13):2801-8.
 PMID: 9661894 [PubMed - indexed for MEDLINE]
- 240: So HS, Park RK, Kim MS, Lee SR, Jung BH, Chung SY, Jun CI, Chung HT. [Related Articles](#), [Links](#)
 Nitric oxide inhibits c-Jun N-terminal kinase 2 (JNK2) via S-nitrosylation.
Biochem Biophys Res Commun. 1998 Jun 29;247(3):809-13.
 PMID: 9647775 [PubMed - indexed for MEDLINE]
- 241: Ganiatsas S, Kwee L, Fujiwara Y, Perkins A, Ikeda T, Labow MA, Zon LI. [Related Articles](#), [Links](#)
 SEK1 deficiency reveals mitogen-activated protein kinase cascade crossregulation and leads to abnormal hepatogenesis.
Proc Natl Acad Sci U S A. 1998 Jun 9;95(12):6881-6.

PMID: 9618507 [PubMed - indexed for MEDLINE]

- 242: [Swat W, Fujikawa K, Ganiatsas S, Yang D, Xavier RJ, Harris NL, Davidson L, Ferrini R, Davis RJ, Labow MA, Flavell RA, Zon LI, Alt FW.](#) Related Articles, Links
-  SEK1/MKK4 is required for maintenance of a normal peripheral lymphoid compartment but not for lymphocyte development. *Immunity*. 1998 May;8(5):625-34.
PMID: 9620683 [PubMed - indexed for MEDLINE]
- 243: [Hata D, Kitaura J, Hartman SE, Kawakami Y, Yokota T, Kawakami T.](#) Related Articles, Links
-  Bruton's tyrosine kinase-mediated interleukin-2 gene activation in mast cells. Dependence on the c-Jun N-terminal kinase activation pathway. *J Biol Chem*. 1998 May 1;273(18):10979-87.
PMID: 9556577 [PubMed - indexed for MEDLINE]
- 244: [Guan Z, Buckman SY, Pentland AP, Templeton DJ, Morrison AR](#) Related Articles, Links
-  Induction of cyclooxygenase-2 by the activated MEKK1 --> SEK1/MKK4 --> p38 mitogen-activated protein kinase pathway. *J Biol Chem*. 1998 May 22;273(21):12901-8.
PMID: 9582321 [PubMed - indexed for MEDLINE]
- 245: [Deak JC, Cross JV, Lewis M, Qian Y, Parrott LA, Distelhorst CW, Templeton DJ.](#) Related Articles, Links
-  Fas-induced proteolytic activation and intracellular redistribution of the stress-signaling kinase MEKK1. *Proc Natl Acad Sci U S A*. 1998 May 12;95(10):5595-600.
PMID: 9576928 [PubMed - indexed for MEDLINE]
- 246: [Kita Y, Kimura KD, Kobayashi M, Ihara S, Kaibuchi K, Kuroda S, Uji M, Iba H, Konishi H, Kikkawa U, Nagata S, Fukui Y.](#) Related Articles, Links
-  Microinjection of activated phosphatidylinositol-3 kinase induces process outgrowth in rat PC12 cells through the Rac-JNK signal transduction pathway. *J Cell Sci*. 1998 Apr;111 (Pt 7):907-15.
PMID: 9490635 [PubMed - indexed for MEDLINE]
- 247: [Tobiume K.](#) Related Articles, Links
-  Characterization of mouse apoptosis signal-regulating kinase 1] Kokubyo Gakkai Zasshi. 1998 Mar;65(1):42-52. Japanese.
PMID: 9584420 [PubMed - indexed for MEDLINE]
- 248: [Wilmer WA, Cosio FG.](#) Related Articles, Links
-  DNA binding of activator protein-1 is increased in human mesangial cells cultured in high glucose concentrations. *Kidney Int*. 1998 May;53(5):1172-81.
PMID: 9573531 [PubMed - indexed for MEDLINE]
- 249: [Hirai S, Noda K, Moriguchi T, Nishida E, Yamashita A, Deyama T, Fukuyama K, Ohno S.](#) Related Articles, Links
-  Differential activation of two JNK activators, MKK7 and SEK1, by MKN28-derived nonreceptor serine/threonine kinase/mixed lineage kinase 2. *J Biol Chem*. 1998 Mar 27;273(13):7406-12.
PMID: 9516438 [PubMed - indexed for MEDLINE]
- 250: [Auer KL, Contessa J, Brenz-Verca S, Pirola L, Rusconi S, Cooper G, Abo A, Wymann MP, Davis RJ, Birrer M, Dent P](#) Related Articles, Links

-  The Ras/Rac1/Cdc42/SEK/JNK/c-Jun cascade is a key pathway by which agonists stimulate DNA synthesis in primary cultures of rat hepatocytes.
Mol Biol Cell. 1998 Mar;9(3):561-73.
PMID: 9487126 [PubMed - indexed for MEDLINE]
-  251: [Reunanen N](#), [Westermarck J](#), [Hakkinen L](#), [Holmstrom TH](#), [Elo I](#), [Briksson JE](#), [Kahari VM](#). Related Articles, Links
[J Biol Chem](#). 1998 Feb 27;273(9):5137-45.
PMID: 9478967 [PubMed - indexed for MEDLINE]
-  252: [Wang TH](#), [Wang HS](#), [Ichijo H](#), [Giannakakou P](#), [Foster JS](#), [Fojo T](#), [Wimalasena J](#). Related Articles, Links
[J Biol Chem](#). 1998 Feb 27;273(9):4928-36.
PMID: 9478937 [PubMed - indexed for MEDLINE]
-  253: [Ellers A](#), [Whitfield J](#), [Babij C](#), [Rubin LL](#), [Ham J](#). Related Articles, Links
[J Neurosci](#). 1998 Mar 1;18(5):1713-24.
PMID: 9464996 [PubMed - indexed for MEDLINE]
-  254: [Luo Y](#), [Umegaki H](#), [Wang X](#), [Abe R](#), [Roth GS](#). Related Articles, Links
[J Biol Chem](#). 1998 Feb 6;273(6):3756-64.
PMID: 9452508 [PubMed - indexed for MEDLINE]
-  255: [Iordanov MS](#), [Magun BE](#). Related Articles, Links
[J Biol Chem](#). 1998 Feb 6;273(6):3528-34.
PMID: 9452478 [PubMed - indexed for MEDLINE]
-  256: [Moriguchi T](#), [Toyoshima F](#), [Masuyama N](#), [Hanafusa H](#), [Gotoh Y](#), [Nishida E](#). Related Articles, Links
[EMBO J](#). 1997 Dec 1;16(23):7045-53.
PMID: 9384583 [PubMed - indexed for MEDLINE]
-  257: [Wu Z](#), [Wu J](#), [Jacinto E](#), [Karin M](#). Related Articles, Links
[Mol Cell Biol](#). 1997 Dec;17(12):7407-16.
PMID: 9372971 [PubMed - indexed for MEDLINE]
-  258: [Khwaja A](#), [Downward J](#). Related Articles, Links
[J Cell Biol](#). 1997 Nov 17;139(4):1017-23.

PMID: 9362519 [PubMed - indexed for MEDLINE]

 259: [Toyoshima F, Moriguchi T, Nishida E.](#)[Related Articles](#), [Links](#)

 Fas induces cytoplasmic apoptotic responses and activation of the MKK7-JNK/SAPK and MKK6-p38 pathways independent of CPP32-like proteases.

J Cell Biol. 1997 Nov 17;139(4):1005-15.

PMID: 9362518 [PubMed - indexed for MEDLINE]

 260: [Martone ME, Holash JA, Bayardo A, Pasquale EB, Ellisman MH](#)[Related Articles](#), [Links](#)

 Immunolocalization of the receptor tyrosine kinase EphA4 in the adult rat central nervous system.

Brain Res. 1997 Oct 17;771(2):238-50.

PMID: 9401744 [PubMed - indexed for MEDLINE]

 261: [Chan ED, Winston BW, Jaite MB, Wynes MW, Riches DW](#)[Related Articles](#), [Links](#)

 Preferential activation of the p46 isoform of JNK/SAPK in mouse macrophages by TNF alpha.

Proc Natl Acad Sci U S A. 1997 Nov 25;94(24):13169-74.

PMID: 9371818 [PubMed - indexed for MEDLINE]

 262: [Braisted JE, McLaughlin T, Wang HU, Friedman GC, Anderson DJ, O'leary DD](#)[Related Articles](#), [Links](#)

 Graded and lamina-specific distributions of ligands of EphB receptor tyrosine kinases in the developing retinotectal system.

Dev Biol. 1997 Nov 1;191(1):14-28.

PMID: 9356168 [PubMed - indexed for MEDLINE]

 263: [Kim H, Shim J, Han PI, Choi EJ](#)[Related Articles](#), [Links](#)

 Nitric oxide modulates the c-Jun N-terminal kinase/stress-activated protein kinase activity through activating c-Jun N-terminal kinase kinase.

Biochemistry. 1997 Nov 4;36(44):13677-81.

PMID: 9354637 [PubMed - indexed for MEDLINE]

 264: [Teng DH, Perry WL 3rd, Hogan JK, Baumgard M, Bell R, Berry S, Davis T, Frank D, Frve C, Hattier T, Hu R, Jammulapati S, Janecki T, Leavitt A, Mitchell JT, Pero R, Sexton D, Schroeder M, Su PH, Swedlund B, Kyriakis JM, Avruch J, Bartel P, Wong AK, Tavtigian SV, et al](#)[Related Articles](#), [Links](#)

 Human mitogen-activated protein kinase kinase 4 as a candidate tumor suppressor.

Cancer Res. 1997 Oct 1;57(19):4177-82.

PMID: 9331070 [PubMed - indexed for MEDLINE]

 265: [Holland PM, Suzanne M, Campbell JS, Noselli S, Cooper JA](#)[Related Articles](#), [Links](#)

 MKK7 is a stress-activated mitogen-activated protein kinase kinase functionally related to hemipterous.

J Biol Chem. 1997 Oct 3;272(40):24994-8.

PMID: 9312105 [PubMed - indexed for MEDLINE]

 266: [Takekawa M, Posas F, Saito H](#)[Related Articles](#), [Links](#)

 A human homolog of the yeast Ssk2/Ssk22 MAP kinase kinase kinases, MTK1, mediates stress-induced activation of the p38 and JNK pathways.

EMBO J. 1997 Aug 15;16(16):4973-82.

PMID: 9305639 [PubMed - indexed for MEDLINE]

 267: [Kuroki DW, Minden A, Sanchez L, Wattenberg EV](#)[Related Articles](#), [Links](#)

Regulation of a c-Jun amino-terminal kinase/stress-activated protein

-  kinase cascade by a sodium-dependent signal transduction pathway.
J Biol Chem. 1997 Sep 19;272(38):23905-11.
PMID: 9295340 [PubMed - indexed for MEDLINE]
-  268: [Nishina H, Bachmann M, Oliveira-dos-Santos AJ, Kozieradzki I, Fischer KD, Odermatt B, Wakeham A, Shahinian A, Takimoto H, Bernstein A, Mak TW, Woodgett JR, Ohashi PS, Penninger JM.](#) Related Articles, Links
Impaired CD28-mediated interleukin 2 production and proliferation in stress kinase SAPK/ERK1 kinase (SEK1)/mitogen-activated protein kinase kinase 4 (MKK4)-deficient T lymphocytes.
J Exp Med. 1997 Sep 15;186(6):941-53.
PMID: 9294148 [PubMed - indexed for MEDLINE]
-  269: [Wang W, Zhou G, Hu MC, Yao Z, Tan TH.](#) Related Articles, Links
Activation of the hematopoietic progenitor kinase-1 (HPK1)-dependent, stress-activated c-Jun N-terminal kinase (JNK) pathway by transforming growth factor beta (TGF-beta)-activated kinase (TAK1), a kinase mediator of TGF beta signal transduction.
J Biol Chem. 1997 Sep 5;272(36):22771-5.
PMID: 9278437 [PubMed - indexed for MEDLINE]
-  270: [Diener K, Wang XS, Chen C, Meyer CF, Keesler G, Zukowski M, Tan TH, Yao Z.](#) Related Articles, Links
Activation of the c-Jun N-terminal kinase pathway by a novel protein kinase related to human germinal center kinase.
Proc Natl Acad Sci U S A. 1997 Sep 2;94(18):9687-92.
PMID: 9275185 [PubMed - indexed for MEDLINE]
-  271: [Wilhelm D, Bender K, Knebel A, Angel P.](#) Related Articles, Links
The level of intracellular glutathione is a key regulator for the induction of stress-activated signal transduction pathways including Jun N-terminal protein kinases and p38 kinase by alkylating agents.
Mol Cell Biol. 1997 Aug;17(8):4792-800.
PMID: 9234735 [PubMed - indexed for MEDLINE]
-  272: [Mizukami Y, Yoshioka K, Morimoto S, Yoshida K.](#) Related Articles, Links
A novel mechanism of JNK1 activation. Nuclear translocation and activation of JNK1 during ischemia and reperfusion.
J Biol Chem. 1997 Jun 27;272(26):16657-62.
PMID: 9195981 [PubMed - indexed for MEDLINE]
-  273: [Hirai S, Katoh M, Terada M, Kyriakis JM, Zou L, Rana A, Avruch J, Ohno S.](#) Related Articles, Links
MST/MLK2, a member of the mixed lineage kinase family, directly phosphorylates and activates SEK1, an activator of c-Jun N-terminal kinase/stress-activated protein kinase.
J Biol Chem. 1997 Jun 13;272(24):15167-73.
PMID: 9182538 [PubMed - indexed for MEDLINE]
-  274: [Bovenkamp DE, Greer P.](#) Related Articles, Links
Novel Eph-family receptor tyrosine kinase is widely expressed in the developing zebrafish nervous system.
Dev Dyn. 1997 Jun;209(2):166-81.
PMID: 9186052 [PubMed - indexed for MEDLINE]
-  275: [Jordanov MS, Pribnow D, Magun JL, Dinh TH, Pearson JA, Chen SL, Magun BE.](#) Related Articles, Links
Ribotoxic stress response: activation of the stress-activated protein kinase

-  **275:** JNK1 by inhibitors of the peptidyl transferase reaction and by sequence-specific RNA damage to the alpha-sarcin/ricin loop in the 28S rRNA.
Mol Cell Biol. 1997 Jun;17(6):3373-81.
PMID: 9154836 [PubMed - indexed for MEDLINE]
-  **276:** Kultz D, Garcia-Perez A, Ferraris JD, Burg MB. Related Articles, Links
Distinct regulation of osmoprotective genes in yeast and mammals.
Aldose reductase osmotic response element is induced independent of p38 and stress-activated protein kinase/Jun N-terminal kinase in rabbit kidney cells.
J Biol Chem. 1997 May 16;272(20):13165-70.
PMID: 9148932 [PubMed - indexed for MEDLINE]
-  **277:** Foltz IN, Schrader JW. Related Articles, Links
Activation of the stress-activated protein kinases by multiple hematopoietic growth factors with the exception of interleukin-4.
Blood. 1997 May 1;89(9):3092-6.
PMID: 9129010 [PubMed - indexed for MEDLINE]
-  **278:** Nagata Y, Nishida E, Todokoro K. Related Articles, Links
Activation of JNK signaling pathway by erythropoietin, thrombopoietin, and interleukin-3.
Blood. 1997 Apr 15;89(8):2664-9.
PMID: 9108383 [PubMed - indexed for MEDLINE]
-  **279:** Shirakabe K, Yamaguchi K, Shibuya H, Irie K, Matsuda S, Moriguchi T, Gotoh Y, Matsumoto K, Nishida E. Related Articles, Links
TAK1 mediates the ceramide signaling to stress-activated protein kinase/c-Jun N-terminal kinase.
J Biol Chem. 1997 Mar 28;272(13):8141-4.
PMID: 9079627 [PubMed - indexed for MEDLINE]
-  **280:** Siow YL, Kalmar GB, Sanghera JS, Tai G, Oh SS, Pelech SL. Related Articles, Links
Identification of two essential phosphorylated threonine residues in the catalytic domain of Mekk1. Indirect activation by Pak3 and protein kinase C.
J Biol Chem. 1997 Mar 21;272(12):7586-94.
PMID: 9065412 [PubMed - indexed for MEDLINE]
-  **281:** Tanaka S, Ouchi T, Hanafusa H. Related Articles, Links
Downstream of Crk adaptor signaling pathway: activation of Jun kinase by v-Crk through the guanine nucleotide exchange protein C3G.
Proc Natl Acad Sci U S A. 1997 Mar 18;94(6):2356-61.
PMID: 9122199 [PubMed - indexed for MEDLINE]
-  **282:** Ueda T, Fujimori O, Yamada K. Related Articles, Links
Lectin-binding glycoconjugates in the subfornical organ of the rat.
Okajimas Folia Anat Jpn. 1997 Mar;73(6):325-34.
PMID: 9128064 [PubMed - indexed for MEDLINE]
-  **283:** Nishina H, Fischer KD, Radvanyi L, Shahinian A, Hakem R, Rubie EA, Bernstein A, Mak TW, Woodgett JR, Penninger JM. Related Articles, Links
Stress-signalling kinase Sek1 protects thymocytes from apoptosis mediated by CD95 and CD3.
Nature. 1997 Jan 23;385(6614):350-3.
PMID: 9002521 [PubMed - indexed for MEDLINE]
-  **284:** Clark GJ, Westwick JK, Der CJ. Related Articles, Links

- p120 GAP modulates Ras activation of Jun kinases and transformation.
J Biol Chem. 1997 Jan 17;272(3):1677-81.
PMID: 8999845 [PubMed - indexed for MEDLINE]
- 285: Ichijo H, Nishida E, Irie K, ten Dijke P, Saitoh M, Moriguchi T, Takagi M, Matsumoto K, Miyazono K, Gotoh Y. Related Articles, Links
Induction of apoptosis by ASK1, a mammalian MAPKKK that activates SAPK/JNK and p38 signaling pathways.
Science. 1997 Jan 3;275(5296):90-4.
PMID: 8974401 [PubMed - indexed for MEDLINE]
- 286: Lenczowski JM, Dominguez L, Eder AM, King LB, Zacharchuk CM, Ashwell JD. Related Articles, Links
Lack of a role for Jun kinase and AP-1 in Fas-induced apoptosis.
Mol Cell Biol. 1997 Jan;17(1):170-81.
PMID: 8972197 [PubMed - indexed for MEDLINE]
- 287: Tibbles LA, Ing YL, Kiefer F, Chan J, Iscove N, Woodgett JR, Lassam NJ. Related Articles, Links
MLK-3 activates the SAPK/JNK and p38/RK pathways via SEK1 and MKK3/6.
EMBO J. 1996 Dec 16;15(24):7026-35.
PMID: 9003778 [PubMed - indexed for MEDLINE]
- 288: Kiefer F, Tibbles LA, Anafi M, Janssen A, Zanke BW, Lassam N, Pawson T, Woodgett JR, Iscove NN. Related Articles, Links
HPK1, a hematopoietic protein kinase activating the SAPK/JNK pathway.
EMBO J. 1996 Dec 16;15(24):7013-25.
PMID: 9003777 [PubMed - indexed for MEDLINE]
- 289: Watanabe G, Howe A, Lee RJ, Albanese C, Shu IW, Karnezis AN, Zon L, Kyriakis J, Rundell K, Pestell RG. Related Articles, Links
Induction of cyclin D1 by simian virus 40 small tumor antigen.
Proc Natl Acad Sci U S A. 1996 Nov 12;93(23):12861-6.
PMID: 8917510 [PubMed - indexed for MEDLINE]
- 290: Kawasaki H, Moriguchi T, Matsuda S, Li HZ, Nakamura S, Shimohama S, Kimura J, Gotoh Y, Nishida E. Related Articles, Links
Ras-dependent and Ras-independent activation pathways for the stress-activated-protein-kinase cascade.
Eur J Biochem. 1996 Oct 15;241(2):315-21.
PMID: 8917425 [PubMed - indexed for MEDLINE]
- 291: Pestell RG, Albanese C, Watanabe G, Lee RJ, Lastowiecki P, Zon L, Ostrowski M, Jameson JL. Related Articles, Links
Stimulation of the P-450 side chain cleavage enzyme (CYP11A1) promoter through ras- and Ets-2-signaling pathways.
Mol Endocrinol. 1996 Sep;10(9):1084-94.
PMID: 8885243 [PubMed - indexed for MEDLINE]
- 292: Bogoyevitch MA, Gillespie-Brown J, Ketterman AJ, Fuller SJ, Ben-Levy R, Ashworth A, Marshall CJ, Sugden PH. Related Articles, Links
Stimulation of the stress-activated mitogen-activated protein kinase subfamilies in perfused heart. p38/RK mitogen-activated protein kinases and c-Jun N-terminal kinases are activated by ischemia/reperfusion.
Circ Res. 1996 Aug;79(2):162-73. Review.
PMID: 8755992 [PubMed - indexed for MEDLINE]
- 293: White RA, Hughes RT, Adkison LR, Bruns G, Zon LI. Related Articles, Links
The gene encoding protein kinase SEK1 maps to mouse chromosome 11 and human chromosome 17.

Genomics. 1996 Jun 15;34(3):430-2.
PMID: 8786147 [PubMed - indexed for MEDLINE]

- 294:** Sanghera JS, Weinstein SL, Ajuwalia M, Gim J, Pelech SL. [Related Articles](#), [Links](#)
Activation of multiple proline-directed kinases by bacterial lipopolysaccharide in murine macrophages.
J Immunol. 1996 Jun 1;156(11):4457-65.
PMID: 8666821 [PubMed - indexed for MEDLINE]
- 295:** Chapman SA, Bonshek RE, Stoddart RW, O'Donoghue E, Goodall K, McLeod D. [Related Articles](#), [Links](#)
Glycans of the trabecular meshwork in primary open angle glaucoma.
Br J Ophthalmol. 1996 May;80(5):435-44.
PMID: 8695566 [PubMed - indexed for MEDLINE]
- 296:** Kharbanda S, Pandey P, Ren R, Mayer B, Zen L, Kufe D. [Related Articles](#), [Links](#)
c-Abl activation regulates induction of the SEK1/stress-activated protein kinase pathway in the cellular response to 1-beta-D-arabinofuranosylcytosine.
J Biol Chem. 1995 Dec 22;270(51):30278-81.
PMID: 8530447 [PubMed - indexed for MEDLINE]
- 297:** Chapman SA, Bonshek RE, Stoddart RW, Jones CJ, Mackenzie KR, O'Donoghue E, McLeod D. [Related Articles](#), [Links](#)
Glycoconjugates of the human trabecular meshwork: a lectin histochemical study.
Histochem J. 1995 Nov;27(11):869-81.
PMID: 8787965 [PubMed - indexed for MEDLINE]
- 298:** Catling AD, Schaeffer HJ, Reuter CW, Reddy GR, Weber MJ. [Related Articles](#), [Links](#)
A proline-rich sequence unique to MEK1 and MEK2 is required for raf binding and regulates MEK function.
Mol Cell Biol. 1995 Oct;15(10):5214-25.
PMID: 7565670 [PubMed - indexed for MEDLINE]
- 299:** Moriguchi T, Kawasaki H, Matsuda S, Gotoh Y, Nishida E. [Related Articles](#), [Links](#)
Evidence for multiple activators for stress-activated protein kinase/c-Jun amino-terminal kinases. Existence of novel activators.
J Biol Chem. 1995 Jun 2;270(22):12969-72.
PMID: 7768885 [PubMed - indexed for MEDLINE]
- 300:** Yan M, Dai T, Deak JC, Kyriakis JM, Zon LI, Woodgett JR, Templeton DJ. [Related Articles](#), [Links](#)
Activation of stress-activated protein kinase by MEKK1 phosphorylation of its activator SEK1.
Nature. 1994 Dec 22-29;372(6508):798-800.
PMID: 7997270 [PubMed - indexed for MEDLINE]
- 301:** Sanchez L, Hughes RT, Mayer BJ, Yee K, Woodgett JR, Avruch J, Kyriakis JM, Zon LI. [Related Articles](#), [Links](#)
Role of SAPK/ERK kinase-1 in the stress-activated pathway regulating transcription factor c-Jun.
Nature. 1994 Dec 22-29;372(6508):794-8.
PMID: 7997269 [PubMed - indexed for MEDLINE]
- 302:** Jones CJ, Morrison CA, Stoddart RW. [Related Articles](#), [Links](#)
Histochemical analysis of rat testicular glycoconjugates. 1. Subsets of N-linked saccharides in seminiferous tubules.
Histochem J. 1992 Jun;24(6):319-26.

PMID: 1634371 [PubMed - indexed for MEDLINE]

303: [Mann DM, Brown A, Prinja D, Davies CA, Landon M, Masters CL, Beyreuther K.](#) Related Articles, Links

An analysis of the morphology of senile plaques in Down's syndrome patients of different ages using immunocytochemical and lectin histochemical techniques.

Neuropathol Appl Neurobiol. 1989 Jul-Aug; 15(4):317-29.

PMID: 2528701 [PubMed - indexed for MEDLINE]

304: [Kinoshita N, Suzuki S, Matsuda Y, Taniguchi N.](#) Related Articles, Links

Alpha-fetoprotein antibody-lectin enzyme immunoassay to characterize sugar chains for the study of liver diseases.

Clin Chim Acta. 1989 Feb 15;179(2):143-51. Erratum in: Clin Chim Acta 1989 Jun 30;182(2):239.

PMID: 2465850 [PubMed - indexed for MEDLINE]

305: [Maguire JH, Butler TC, Dudley KH.](#) Related Articles, Links

5-ethyl-5-phenylhydantoin N-glucuronide, the major urinary metabolite of 5-ethyl-5-phenylhydantoin (Nirvanol) in the dog.

Drug Metab Dispos. 1982 Nov-Dec;10(6):595-8.

PMID: 6130906 [PubMed - indexed for MEDLINE]

306: [Mulch G.](#) Related Articles, Links

[Comparison of the effectiveness of antivertiginous drugs by double blind procedure. The effect of diazepam, dimenhydrinate and sulpiride on the human vestibular spontaneous nystagmus (author's transl)]

Laryngol Rhinol Otol (Stuttg). 1976 May;55(5):392-9. German.



PMID: 135163 [PubMed - indexed for MEDLINE]

Display [Summary](#) Show: [500](#) Sort Send to Text

Items 1-306 of 306 One page.

[Write to the Help Desk](#)[NCBI](#) | [NLM](#) | [NIH](#)[Department of Health & Human Services](#)[Freedom of Information Act](#) | [Disclaimer](#)

Jan 29 2004 15:06:34



Entrez PubMed Nucleotide Protein Genome Structure PMC Journals Books

Search for

Limits Preview/Index History Clipboard Details

About Entrez

Text Version

Display: Summary Show: Text One page.

Items 1-57 of 57

1: Kaneko M, Nighorn A.

Interaxonal Eph-ephrin signaling may mediate sorting of olfactory sensory axons in *Manduca sexta*.
J Neurosci. 2003 Dec 17;23(37):11523-38.
PMID: 14684856 [PubMed - indexed for MEDLINE]

2: Honda H.

Competition between retinal ganglion axons for targets under the servomechanism model explains abnormal retinocollicular projection of Eph receptor-overexpressing or ephrin-lacking mice.
J Neurosci. 2003 Nov 12;23(32):10368-77.
PMID: 14614096 [PubMed - indexed for MEDLINE]

3: Greferath U, Carty AJ, Messenger J, Murphy M.

Developmental expression of EphA4-tyrosine kinase receptor in the mouse brain and spinal cord.
Mech Dev. 2002 Dec;119 Suppl 1:S231-8.
PMID: 14516691 [PubMed - in process]

4: Greferath U, Carty AJ, Messenger J, Murphy M.

Developmental expression of EphA4-tyrosine kinase receptor in the mouse brain and spinal cord.
Gene Expr Patterns. 2002 Dec;2(3-4):267-74.
PMID: 12617813 [PubMed - indexed for MEDLINE]

5: Coonan JR, Bartlett PF, Galea MP.

Role of EphA4 in defining the position of a motoneuron pool within the spinal cord.
J Comp Neurol. 2003 Mar 24;458(1):98-111.
PMID: 12577325 [PubMed - indexed for MEDLINE]

6: Liebl DJ, Morris CJ, Henkemeyer M, Parada LF.

mRNA expression of ephrins and Eph receptor tyrosine kinases in the neonatal and adult mouse central nervous system.
J Neurosci Res. 2003 Jan 1;71(1):7-22.
PMID: 12478610 [PubMed - indexed for MEDLINE]

7: Cramer KS, Karam SD, Bothwell M, Cerretti DP, Pasquale EB, Rubel EW.

Expression of EphB receptors and EphrinB ligands in the developing chick auditory brainstem.
J Comp Neurol. 2002 Oct 7;452(1):51-64.
PMID: 12205709 [PubMed - indexed for MEDLINE]

8: Moreno-Flores MT, Martin-Aparicio E, Avila J, Diaz-Nido J, Wandosell F.

Ephrin-B1 promotes dendrite outgrowth on cerebellar granule neurons.

- Mol Cell Neurosci. 2002 Jul;20(3):429-46.
PMID: 12139920 [PubMed - indexed for MEDLINE]
- 9: [Mann F, Peuckert C, Dehner F, Zhou R, Bolz J.](#) Related Articles, Links
Ephrins regulate the formation of terminal axonal arbors during the development of thalamocortical projections.
Development. 2002 Aug;129(16):3945-55.
PMID: 12135931 [PubMed - indexed for MEDLINE]
- 10: [Yue Y, Chen ZY, Gale NW, Blair-Flynn J, Hu TJ, Yue X, Cooper M, Crockett DP, Yancopoulos GD, Tessarollo L, Zhou R.](#) Related Articles, Links
Mistargeting hippocampal axons by expression of a truncated Eph receptor.
Proc Natl Acad Sci U S A. 2002 Aug 6;99(16):10777-82. Epub 2002 Jul 17.
PMID: 12124402 [PubMed - indexed for MEDLINE]
- 11: [Drescher U.](#) Related Articles, Links
Eph family functions from an evolutionary perspective.
Curr Opin Genet Dev. 2002 Aug;12(4):397-402. Review.
PMID: 12100883 [PubMed - indexed for MEDLINE]
- 12: [Contractor A, Rogers C, Maron C, Henkemeyer M, Swanson GT, Heinemann SF.](#) Related Articles, Links
Trans-synaptic Eph receptor-ephrin signaling in hippocampal mossy fiber LTP.
Science. 2002 Jun 7;296(5574):1864-9.
PMID: 12052960 [PubMed - indexed for MEDLINE]
- 13: [Karam SD, Dottori M, Ogawa K, Henderson JT, Boyd AW, Pasquale EB, Bothwell M.](#) Related Articles, Links
EphA4 is not required for Purkinje cell compartmentation.
Brain Res Dev Brain Res. 2002 Apr 30;135(1-2):29-38.
PMID: 11978390 [PubMed - indexed for MEDLINE]
- 14: [Knoll B, Drescher U.](#) Related Articles, Links
Ephrin-As as receptors in topographic projections.
Trends Neurosci. 2002 Mar;25(3):145-9. Review.
PMID: 11852146 [PubMed - indexed for MEDLINE]
- 15: [Grunwald IC, Korte M, Wolfer D, Wilkinson GA, Unsicker K, Lipp HP, Bonhoeffer T, Klein R.](#) Related Articles, Links
Kinase-independent requirement of EphB2 receptors in hippocampal synaptic plasticity.
Neuron. 2001 Dec 20;32(6):1027-40.
PMID: 11754835 [PubMed - indexed for MEDLINE]
- 16: [Zhou X, Suh J, Cerretti DP, Zhou R, DiCicco-Bloom E.](#) Related Articles, Links
Ephrins stimulate neurite outgrowth during early cortical neurogenesis.
J Neurosci Res. 2001 Dec 15;66(6):1054-63.
PMID: 11746437 [PubMed - indexed for MEDLINE]
- 17: [Yates PA, Roskies AL, McLaughlin T, O'Leary DD.](#) Related Articles, Links
Topographic-specific axon branching controlled by ephrin-As is the critical event in retinotectal map development.
J Neurosci. 2001 Nov 1;21(21):8548-63.
PMID: 11606643 [PubMed - indexed for MEDLINE]
- 18: [Bovenkamp DE, Greer PA.](#) Related Articles, Links
Degenerate PCR-based cloning method for Eph receptors and analysis of their expression in the developing murine central nervous system and

- vasculature.**
DNA Cell Biol. 2001 Apr;20(4):203-13.
PMID: 11403717 [PubMed - indexed for MEDLINE]
- 19:** Yamada T, Okafuji T, Ohta K, Handwerker C, Drescher U, Tanaka. Related Articles, Links H.
- Analysis of ephrin-A2 in the chick retinotectal projection using a function-blocking monoclonal antibody.**
J Neurobiol. 2001 Jun 15;47(4):245-54.
PMID: 11351336 [PubMed - indexed for MEDLINE]
- 20:** Mann F, Holt CE. Related Articles, Links
- Control of retinal growth and axon divergence at the chiasm: lessons from Xenopus.**
Bioessays. 2001 Apr;23(4):319-26. Review.
PMID: 11268037 [PubMed - indexed for MEDLINE]
- 21:** Gerlai R. Related Articles, Links
- Eph receptors and neural plasticity.**
Nat Rev Neurosci. 2001 Mar;2(3):205-9.
PMID: 11256081 [PubMed - indexed for MEDLINE]
- 22:** Leighton PA, Mitchell KJ, Goodrich LV, Lu X, Pinson K, Scherz P, Skarnes WC, Tessier-Lavigne M. Related Articles, Links
- Defining brain wiring patterns and mechanisms through gene trapping in mice.**
Nature. 2001 Mar 8;410(6825):174-9.
PMID: 11242070 [PubMed - indexed for MEDLINE]
- 23:** St John JA, Key B. Related Articles, Links
- EphB2 and two of its ligands have dynamic protein expression patterns in the developing olfactory system.**
Brain Res Dev Brain Res. 2001 Jan 31;126(1):43-56.
PMID: 11172885 [PubMed - indexed for MEDLINE]
- 24:** Sestan N, Rakic P, Donoghue MJ. Related Articles, Links
- Independent parcellation of the embryonic visual cortex and thalamus revealed by combinatorial Eph/ephrin gene expression.**
Curr Biol. 2001 Jan 9;11(1):39-43.
PMID: 11166178 [PubMed - indexed for MEDLINE]
- 25:** Kong H, Boulter J, Weber JL, Lai C, Chao MV. Related Articles, Links
- An evolutionarily conserved transmembrane protein that is a novel downstream target of neurotrophin and ephrin receptors.**
J Neurosci. 2001 Jan 1;21(1):176-85.
PMID: 11150334 [PubMed - indexed for MEDLINE]
- 26:** Xu Q, Mellitzer G, Wilkinson DG. Related Articles, Links
- Roles of Eph receptors and ephrins in segmental patterning.**
Philos Trans R Soc Lond B Biol Sci. 2000 Jul 29;355(1399):993-1002. Review.
PMID: 11128993 [PubMed - indexed for MEDLINE]
- 27:** Schulte D, Cepko CL. Related Articles, Links
- Two homeobox genes define the domain of EphA3 expression in the developing chick retina.**
Development. 2000 Dec;127(23):5033-45.
PMID: 11060230 [PubMed - indexed for MEDLINE]
- 28:** Cramer KS, Rosenberger MH, Frost DM, Cochran SL, Pasquale. Related Articles, Links

- EB, Rubel EW.**
- Developmental regulation of EphA4 expression in the chick auditory brainstem.
J Comp Neurol. 2000 Oct 16;426(2):270-8.
PMID: 10982468 [PubMed - indexed for MEDLINE]
- 29: Drescher U.** [Related Articles](#), [Links](#)
- Eph receptor tyrosine kinases and their ligands in development.
Ernst Schering Res Found Workshop. 2000;(29):151-64. Review. No abstract available.
PMID: 10943309 [PubMed - indexed for MEDLINE]
- 30: Zarbalis K, Wurst W.** [Related Articles](#), [Links](#)
- Expression domains of murine ephrin-A5 in the pituitary and hypothalamus.
Mech Dev. 2000 May;93(1-2):165-8.
PMID: 10781950 [PubMed - indexed for MEDLINE]
- 31: Marcus RC, Matthews GA, Gale NW, Yancopoulos GD, Mason CA.** [Related Articles](#), [Links](#)
- Axon guidance in the mouse optic chiasm: retinal neurite inhibition by ephrin "A"-expressing hypothalamic cells in vitro.
Dev Biol. 2000 May 1;221(1):132-47.
PMID: 10772797 [PubMed - indexed for MEDLINE]
- 32: Imondi R, Wideman C, Kaprielian Z.** [Related Articles](#), [Links](#)
- Complementary expression of transmembrane ephrins and their receptors in the mouse spinal cord: a possible role in constraining the orientation of longitudinally projecting axons.
Development. 2000 Apr;127(7):1397-410.
PMID: 10704386 [PubMed - indexed for MEDLINE]
- 33: Niederreither K, Vermot J, Schuhbaur B, Chambon P, Dolle P.** [Related Articles](#), [Links](#)
- Retinoic acid synthesis and hindbrain patterning in the mouse embryo.
Development. 2000 Jan;127(1):75-85.
PMID: 10654602 [PubMed - indexed for MEDLINE]
- 34: Davy A, Gale NW, Murray EW, Klinghoffer RA, Soriano P, Feuerstein C, Robbins SM.** [Related Articles](#), [Links](#)
- Compartmentalized signaling by GPI-anchored ephrin-A5 requires the Fyn tyrosine kinase to regulate cellular adhesion.
Genes Dev. 1999 Dec 1;13(23):3125-35.
PMID: 10601038 [PubMed - indexed for MEDLINE]
- 35: Lumsden A.** [Related Articles](#), [Links](#)
- Closing in on rhombomere boundaries.
Nat Cell Biol. 1999 Aug;1(4):E83-5. No abstract available.
PMID: 10559925 [PubMed - indexed for MEDLINE]
- 36: Stein E, Savaskan NE, Ninnemann O, Nitsch R, Zhou R, Skutella T.** [Related Articles](#), [Links](#)
- A role for the Eph ligand ephrin-A3 in entorhino-hippocampal axon targeting.
J Neurosci. 1999 Oct 15;19(20):8885-93.
PMID: 10516308 [PubMed - indexed for MEDLINE]
- 37: Xu Q, Mellitzer G, Robinson V, Wilkinson DG.** [Related Articles](#), [Links](#)
- In vivo cell sorting in complementary segmental domains mediated by Eph receptors and ephrins.

Nature. 1999 May 20;399(6733):267-71.
PMID: 10353250 [PubMed - indexed for MEDLINE]

- 38:** Moreno-Flores MT, Wandosell F. [Related Articles](#), [Links](#)
 Up-regulation of Eph tyrosine kinase receptors after excitotoxic injury in adult hippocampus.
Neuroscience. 1999;91(1):193-201.
 PMID: 10336070 [PubMed - indexed for MEDLINE]
- 39:** Bruckner K, Pablo Labrador J, Scheiffele P, Herb A, Seuberg PH, Klein R. [Related Articles](#), [Links](#)
 EphrinB ligands recruit GRIP family PDZ adaptor proteins into raft membrane microdomains.
Neuron. 1999 Mar;22(3):511-24.
 PMID: 10197531 [PubMed - indexed for MEDLINE]
- 40:** Miranda JD, White LA, Marcillo AE, Willson CA, Jagid J, Whittemore SR. [Related Articles](#), [Links](#)
 Induction of Eph B3 after spinal cord injury.
Exp Neurol. 1999 Mar;156(1):218-22.
 PMID: 10192794 [PubMed - indexed for MEDLINE]
- 41:** Ernst AF, Jurney WM, McLoon SC. [Related Articles](#), [Links](#)
 Mechanisms involved in development of retinotectal connections: roles of Eph receptor tyrosine kinases, NMDA receptors and nitric oxide.
Prog Brain Res. 1998;118:115-31. Review.
 PMID: 9932438 [PubMed - indexed for MEDLINE]
- 42:** Buchert M, Schneider S, Meskenaite V, Adams MT, Canaan E, Bacchi T, Moelling K, Hovens CM. [Related Articles](#), [Links](#)
 The junction-associated protein AF-6 interacts and clusters with specific Eph receptor tyrosine kinases at specialized sites of cell-cell contact in the brain.
J Cell Biol. 1999 Jan 25;144(2):361-71.
 PMID: 9922461 [PubMed - indexed for MEDLINE]
- 43:** Araujo M, Piedra ME, Herrera MT, Ros MA, Nieto MA. [Related Articles](#), [Links](#)
 The expression and regulation of chick EphA7 suggests roles in limb patterning and innervation.
Development. 1998 Nov;125(21):4195-204.
 PMID: 9753674 [PubMed - indexed for MEDLINE]
- 44:** Chen J, Ruley HE. [Related Articles](#), [Links](#)
 An enhancer element in the EphA2 (Eck) gene sufficient for rhombomere-specific expression is activated by HOXA1 and HOXB1 homeobox proteins.
J Biol Chem. 1998 Sep 18;273(38):24670-5.
 PMID: 9733765 [PubMed - indexed for MEDLINE]
- 45:** Castellani V, Yue Y, Gao PP, Zhou R, Bolz J. [Related Articles](#), [Links](#)
 Dual action of a ligand for Eph receptor tyrosine kinases on specific populations of axons during the development of cortical circuits.
J Neurosci. 1998 Jun 15;18(12):4663-72.
 PMID: 9614241 [PubMed - indexed for MEDLINE]
- 46:** Holland SJ, Peles E, Pawson T, Schlessinger J. [Related Articles](#), [Links](#)
 Cell-contact-dependent signalling in axon growth and guidance: Eph receptor tyrosine kinases and receptor protein tyrosine phosphatase beta.
Curr Opin Neurobiol. 1998 Feb;8(1):117-27. Review.

PMID: 9568399 [PubMed - indexed for MEDLINE]

- 47: [Frisen J](#), [Yates PA](#), [McLaughlin T](#), [Friedman GC](#), [O'Leary DD](#), [Barbacid M](#). [Related Articles](#), [Links](#)

-  **Ephrin-A5 (AL-1/RAGS) is essential for proper retinal axon guidance and topographic mapping in the mammalian visual system.**
Neuron. 1998 Feb;20(2):235-43.
PMID: 9491985 [PubMed - indexed for MEDLINE]

- 48: [Li YY](#), [McTiernan CF](#), [Feldman AM](#). [Related Articles](#), [Links](#)

-  **IL-1 beta alters the expression of the receptor tyrosine kinase gene r-EphA3 in neonatal rat cardiomyocytes.**
Am J Physiol. 1998 Jan;274(1 Pt 2):H331-41.
PMID: 9458884 [PubMed - indexed for MEDLINE]

- 49: [Theil T](#), [Frain M](#), [Gilardi-Hebenstreit P](#), [Flenniken A](#), [Charnay P](#), [Wilkinson DG](#). [Related Articles](#), [Links](#)

-  **Segmental expression of the EphA4 (Sek-1) receptor tyrosine kinase in the hindbrain is under direct transcriptional control of Krox-20.**
Development. 1998 Feb;125(3):443-52.
PMID: 9425139 [PubMed - indexed for MEDLINE]

- 50: [Orioli D](#), [Klein R](#). [Related Articles](#), [Links](#)

-  **The Eph receptor family: axonal guidance by contact repulsion.**
Trends Genet. 1997 Sep;13(9):354-9. Review.
PMID: 9287490 [PubMed - indexed for MEDLINE]

- 51: [Holash JA](#), [Soans C](#), [Chong LD](#), [Shao H](#), [Dixit VM](#), [Pasquale EB](#). [Related Articles](#), [Links](#)

-  **Reciprocal expression of the Eph receptor Cek5 and its ligand(s) in the early retina.**
Dev Biol. 1997 Feb 15;182(2):256-69.
PMID: 9070326 [PubMed - indexed for MEDLINE]

- 52: [Brennan C](#), [Monschau B](#), [Lindberg R](#), [Guthrie B](#), [Drescher U](#), [Bonhoeffer F](#), [Holder N](#). [Related Articles](#), [Links](#)

-  **Two Eph receptor tyrosine kinase ligands control axon growth and may be involved in the creation of the retinotectal map in the zebrafish.**
Development. 1997 Feb;124(3):655-64.
PMID: 9043080 [PubMed - indexed for MEDLINE]

- 53: [Zhang JH](#), [Cerretti DP](#), [Yu T](#), [Flanagan JG](#), [Zhou R](#). [Related Articles](#), [Links](#)

-  **Detection of ligands in regions anatomically connected to neurons expressing the Eph receptor Bsk: potential roles in neuron-target interaction.**
J Neurosci. 1996 Nov 15;16(22):7182-92.
PMID: 8929427 [PubMed - indexed for MEDLINE]

- 54: [Taneja R](#), [Thisse B](#), [Rijli FM](#), [Thisse C](#), [Bouillet P](#), [Dolle P](#), [Chambon P](#). [Related Articles](#), [Links](#)

-  **The expression pattern of the mouse receptor tyrosine kinase gene MDK1 is conserved through evolution and requires Hoxa-2 for rhombomere-specific expression in mouse embryos.**
Dev Biol. 1996 Aug 1;177(2):397-412.
PMID: 8806819 [PubMed - indexed for MEDLINE]

- 55: [Brambilla R](#), [Klein R](#). [Related Articles](#), [Links](#)

-  **Telling axons where to grow: a role for Eph receptor tyrosine kinases in guidance.**
Mol Cell Neurosci. 1995 Dec;6(6):487-95. Review. No abstract available.

PMID: 8742266 [PubMed - indexed for MEDLINE]

56: [Drescher U](#), [Kremoser C](#), [Handwerker C](#), [Loschinger J](#), [Noda M](#), [Bonhoeffer E](#). [Related Articles](#), [Links](#)

 In vitro guidance of retinal ganglion cell axons by RAGS, a 25 kDa tectal protein related to ligands for Eph receptor tyrosine kinases.
Cell. 1995 Aug 11;82(3):359-70.
PMID: 7634326 [PubMed - indexed for MEDLINE]

57: [Maisonpierre PC](#), [Barrezueta NX](#), [Yancopoulos GD](#). [Related Articles](#), [Links](#)

 Ehk-1 and Ehk-2: two novel members of the Eph receptor-like tyrosine kinase family with distinctive structures and neuronal expression.
Oncogene. 1993 Dec;8(12):3277-88.
PMID: 7504232 [PubMed - indexed for MEDLINE]

[Display](#) [Summary](#) Show: [500](#) [Sort](#) [Send to](#) [Text](#)
Items 1-57 of 57 One page.

[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Freedom of Information Act](#) | [Disclaimer](#)

Jan 29 2004 13:06:34